STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE, AN 3 1968

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

_	
	Date of Appropriation of Groundwater.unknown at present time probably dates back to time of government pater OwnerDorille E. LucierddressRts. #2, Msls, Mont. & Lena V. Lucier, husband and wife Contractor (if any)
	Address of Contractornot.applicable
	Date Started.notapplica-Date Completednotapplicable ble Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
E	water when applicable a regular spring which comes from the underground by natural pressures. The water is guided to a water tank by pipe which is placed approximately nine feat below ground level at point of the spring source. However, water from spring does come to ground surface.
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	estimate approximate lengths of periods of use Spring fills
	.a. 250 gallon tank approximately 10 times a.
	.day_thereforeapringproducesapproximately
	.2,500 gallons or more in 24 hours.

Date December 31, 1963

SR...4..NE Sec...8.. T.14. R20... Indicate point of appropriation and place of use, if possible.

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Signature of Owner.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



14N-20W County.MISSCUL

DRILLER'S LOG

Indicate the character, color, thickness of strata such as soil, clay, sand,

gravel, shale, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

(Elev. above sea level)

Top of Ground

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

n	Inda.	Chamban	227	Mantana	C				amended)
4,	MOSE	CHADIEL	23/	montana	362210N	Laws.	1961.	22	amended

This form to be prepared by driller, and three copies to be

by the ow	mer with th	e County	Clerk and	d Perorder	pies to be in the cour	filed ity in	From (Feet)	(Feet)				
Please ans	well is loca wer all ques be returned	stions. If	not applic	pe retained able, so sta	by driller. ite, otherwis	e the		15		ey-&-Grave		- : : : : : : : : : : : : : : : : : : :
							15.1_	16 L 3I	l_Brown_Su	ndy-Glay &	-000p-	•
Owner Se	inset we	Co ZN	ر ۲	For Admi	nietrator's 1	-	16131	-20		ay & Orave	<u> </u>	
Address***	Address 10 W. File 2430; 329110						20	33	-Light-te	n-olay & g	rave l	•
MI	Missoula, Montana MARCH 14,1973						33	33 13 1	-Brown-oi	ay-Sandy g	revet-	- () - ()
Date well	Date well started Feb. 22, 1973 GW 1 11:45 13:121.								A Water			
	npleted F.e.b.		L									-7
Type of w	rell	lled	······ <u>·</u> ··		************	********				·		-3
Equipment	used Ch	urn Ort	(Du	g, driven, bored	or drilled)	******						7
	: Domestic				_	_						Į,
Maiet Ove	e: Domestic	□ wr	nuicibai L	Stock [] Irrigatio	on []						
Inc	dustrial 🔲	Drainage	e 🔯 Ot	her # □*	Garden/Lav	vn 🗀						
*Describe	***************	Hou	aingDe	rya Lapmei	n.k	•••••						1
USE: If us	sed for irri	gation. in	dustrial a	drainage of	other Ev	nlain						-3
	number of											7
and	Addition)	••••••		•••••••••	•••••	•			. وبي 20 سنة مع مين سي ر			4
												73
ESTIMATE	D ANNUAL	WITHDRA	ESTIMATED ANNUAL WITHDRAWAL									1
Size of Drilled	Size and	WITHDRA From (Feet)	WAL		PERFORATION	s						No.
					PERFORATION Prom (Feet)	S To (Feet)						THE PERSON NAMED IN COLUMN
Size of Drilled Hole	Size and Weight of Casing 6"17"	From (Feet) 1 * 6 !! abova	To (Peet)	Kina	From (Feet)							· 新用源是在《宋文·10年起
Size of Drilled Hole	Size and Weight of Casing 6"17"	From (Feet)	To (Peet)	Kina								THE REPORT OF THE PERSON.
Size of Drilled Hole	Size and Weight of Casing 6"17"	From (Feet) 1 * 6 !! abova	To (Peet)	Kina	From (Feet)							THE REPORT OF THE PARTY OF
Size of Drilled Hole	Size and Weight of Casing 6"17"	From (Feet) 1 * 6 !! abova	To (Peet)	Kina	From (Feet)							THE PROPERTY OF THE PROPERTY O
Size of Drilled Hole	Size and Weight of Casing 6"17"	From (Feet) 1 * 6 !! abova	To (Feet)	Kina	From (Feet)							THE REPORT OF THE PERSON OF TH
Size of Drilled Hole	Size and Weight of Casing 6"17"	From (Feet) 1 * 6 !! abova	To (Feet)	Kind Size	Prom (Feet)	To (Fect)						と、
Size of Drilled Hole	Size and Weight of Casing S**(I) 17. Lb	From (Feet) 1 * 6 !! abova	To (Feet)	Kind Size	Prom (Feet)	To (Feet)						THE RESERVE OF THE PERSON OF T
Size of Drilled Hole	Size and Weight of Casing S**(I) 17. Lb	From (Feet) 1 * 6 !! abova	To (Feet) 33 f	Kind Size	Prost (Feet) none vel72. r level .22gallons	To (Feet)						· 新国国际各位条件设置的基础设置的基础的基础的基础的基础的。
Size of Drilled Hole	Size and Weight of Casing S**(I) 17. Lb	From (Feet) 1 * 6 !! abova	Stat Pun at . mea	Kind Size	Prom (Feet) none vel	To (Feet)						对于国际中心外交流的产品的对应的企业的联系的企业的企业中的企业的企业
Size of Drilled Hole	Size and Weight of Casing S**(I) 17. Lb	From (Feet) 1 * 6 !! abova	State Pun at med beg	Kind Size ic water let nping water 30	Prome (Feet) none vel	ft.* per minute, er pumping						THE BEAUTIFUL TO THE PROPERTY OF THE PROPERTY
Size of Drilled Hole 6"1D	Size and Weight of Casing S**(I) 17. Lb	From (Feet) 1 * 6 !! abova	Stat Pun at mea E *Me	Kind Size ic water lemping water 30	Prom (Feet) none vel	ft.* per minute, er pumping						中心は大きのない。日本のは、日本のは、日本のは、日本のは、日本のは、日本のは、日本のは、日本のは、
Size of Drilled Hole 6"1D	Size and Weight of Casing 5"17) 17 lb per ft,	From (Feet) 1 * 6 !! abova	Stat Pun at . mea beg *Me We for	Kind Size	r levelgallors minutes aft m ground lid by To.athours.	ft.* ft.* er minute, er pumping evel.						2
Size of Drilled Hole 6"1D	Size and Weight of Casing 5"17) 17 lb per ft,	From (Feet) 1 * 6 !! abova	Stat Pun at med beg *Mi We for Pov	Kind Size	Prom (Feet) none vel	ft.* ft.* per minute, er pumping evel. £ump						2
Size of Drilled Hole 6"1D	Size and Weight of Casing 5"17) 17 lb per ft,	From (Feet) 1 * 6 !! abova	State Pun at mee beg *Mi We for Pov Ren	Kind Size ic water leterping water 30 sourced 7	r levelgallons improved by Touthours	ft.* ft.* cer minute, er pumping evel. £ump						2
Size of Drilled Role 6 11 D	Size and Weight Weight of Casing 6"// 17 lb par ft,	Prom (Feet) 1'6" Gboyg g. (.	State Punt at mea beg *Me We for Pov Ren pac	Kind Size ic water leterping water 30 sourced 7	r level	ft.* ft.* cer minute, er pumping evel. £ump						2
Size of Drilled Role 6 11 D	Size and Weight Weight of Casing 6"// 17 lb par ft,	Prom (Feet) 1'6" Gboyg g. (.	State Punt at mea beg *Me We for Pov Ren pac	Kind Size ic water leterping water 30 sourced 7	r level	ft.* ft.* cer minute, er pumping evel. £ump						2
Size of Delited Holes 6 " I D	Size and Weight of Casing 5"/10" 17 lb per ft.	Prom (Feet) 1'6" abova g. (.	Stat Pun at	Kind Size ic water let apping water 30 casured 1 casured from 1 c	rel	ft.* ft.* per minute, er pumping evel. £ump						2
Size of Drilled Hole 6"1D	Size and Weight Weight of Casing 6"// 17 lb par ft,	Prom (Feet) 1'6" abova g. (.	State (Feet) 33 / State Pun at mex beg *Me for Pov Ren pac W	ic water let pring water 30 sured 1 saured from the saured fro	rel	ft.* ft.* per minute, er pumping evel. £ump						が明明を存在を記述さればいる。 は、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、日本のでは、「日本のでは、日本

Show exact depth of bottom

3312"

DRILER'S LOG NONATER CODE RCES BOARD OWN - Claimed FIGROUNDWATER ANS OF WELL Y, 1, 1982 Lives, 1981, as amended) Ind three copies to be filled did Recorder in the country in the relationed by drillor, able, so state, otherwise the For Administrator's Use File a' 1431, 32.9 III. Date well started Eabs. 27, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Well TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. Top of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. TOP of Ground Drillor Bab. 22, 1973. OWN 111.45, PAO. Top of Ground Drillor Bab. 22, 1973. Top of Ground Drillor Bab. 24, 1973. Top of Ground Drillor Bab. 2	2) ,	الم	7 7	Seen	reet lle	st, Inc	- S. W.		County MISSOLLA	3
Law, 1961, as amended Cap of Ground City of Ground City of three copies to be filled in the country in the certained by driller, cable, so state, otherwise the Cap of City	Who	nt ju I n	2 Th	ö,	ANA IDWATER C IRCES BOA	CODE RD NDWATER			ness o	DRILLER'S LOG e the character, color, thick- f strata such as soil, clay, sand, ,_shale,_sandstone, etc. Show	
directorder in the county in bor retained by driller: cable, so state, otherwise the	(Upw)	(• C	Ken Z	eV	ry 1, 1962 Laws, 1961	्र , as amende			height Ground	to which water rises in well.	
Stell: water level Stell:		ļ			id Recorder	in the count	y in	(Feet)		Brown alay & Gravel	
Date well steried Eabs. 27. 7779. GW 1 11: 45. A. A.A. Completed Eabs. 22. 1973. Type of wellDELLEG					cable, so sta	ite, otherwise	the	.31_	37	Seny Clay & Gravel	
Date well steried Eabs. 27. 7779. GW 1 11: 45. A. A.A. Completed Eabs. 22. 1973. Type of wellDELLEG					For Admi	nistrator's He					
Date well started Exb. 21. 1773 GW 11. J.S. A. C.A.					1						
Type of well					MARC	4 14,197	3				
Type of well	Date well st	tarted F.e.b	21	7273×	GW 1 11:	S.A. 103					
Course delli, relay or other) Course delli, relay or other)	comp	pleted <i>E.</i> a.b	22	1973		······					
Equipment used Churen Draft Churen drill, rotary or other)	Type of wel	11 <i>De.i.l</i>	Led		Dus. driven, bored	or drilled)					
Water Use: Domestic	Equipment (used Chur	n.Dell	. L	(Churn drill, rota	ry or other)	······				
*Describe USE: If used for Irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). ESTIMATED ANNUAL WITHDRAWAL Static of Static or O'Casta of Casta							n 🛮 Ö				
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition). ESTIMATED ANNUAL WITHDRAWAL State of Castell Press of Castell Control of Castell	Indu	strial 🔲	Drainage	• 🗆	Other 🔲*	Garden/Lawr	n 🗆				
STATE number of acres and location or other data (i.e. Lot, Block and Addition). ESTIMATED ANNUAL WITHDRAWAL District Wedget From Case (Food) (Food											
ESTIMATED ANNUAL WITHDRAWAL State of State of Costage Prom To PERFORATIONS										، ده ده عبر سه نده ده ده در ۱۳ هر _{در در} بر بر بر بر بر بر بر	
Sibe of Rela (Peel) (Pe	USE: If use state r	d for irrig number of	gation, in acres and	dustrial, Locatio	, drainage o	r other. Exp sta (i.e. Lot, E	olain, Block				 -
N Static water level ft.* Pumping water level ft.* et gallons per minute, measured minutes after pumping began. *Measured from ground level. Well developed by for hours. Power Pump. HP Remarks: (Grevel packing, cementing, packers, type of shutoff) NU. 13 E. 14 Sec. E GAS ING PULLED T. N R. 30 SW INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES. Driller's Signature Cample Supply Well Manuals, Montage	USE: If use state n and A	ed for irrig number of	gation, in acres and	dustrial, Locatio	, drainage o	r other. Exp sta (i.e. Lot, E	olain, Block				
N Static water level	USE: If use state in and A ESTIMATED	addition) ANNUAL \	gation, in acres and WITHDRA	dustrial, I locatio	, drainage or n or other da	r other. Exp sta (i.e. Lot, E	olain, Block				
N Static water level	use: If use state in and A ESTIMATED Size of Drilled Help	ed for irrigation of addition) ANNUAL \ Size and Velght of Casting	VITHORA	WAL	, drainage on or other da	r other. Exp ta (i.e. Lot, E	olain, Block				
Static water level	use: If use state in and A ESTIMATED Size of Drilled Help	ad for irrig number of addition) ANNUAL \ Stre and Weight of Casing	VITHORA	WAL	, drainage on or other da	r other. Exp ta (i.e. Lot, E	olain, Block				
Static water level	use: If use state in and A ESTIMATED Size of Drilled Help	ad for irrig number of addition), ANNUAL \ Size and weight of Casting 6"#D 17 &b	WITHDRAN Prom (Feet) CAS	WAL	, drainage on or other da	r other. Exp tia (i.e. Lot, E	olain, Block				
Static water level	use: If use state in and A ESTIMATED Size of Drilled Help	ad for irrig number of addition), ANNUAL \ Size and weight of Casting 6"#D 17 &b	WITHDRAN Prom (Feet) CAS	WAL	, drainage on or other da	r other. Exp tia (i.e. Lot, E	olain, Block				
Static water level	use: If use state in and A ESTIMATED Size of Drilled Help	ad for irrig number of addition), ANNUAL \ Size and weight of Casting 6"#D 17 &b	WITHDRAN Prom (Feet) CAS	WAL	, drainage on or other da	r other. Exp tia (i.e. Lot, E	olain, Block				
Pumping water levelft.* atgallons per minute, measuredminutes after pumping began. *Measured from ground level. Well developed by forhours. PowerPumpHP Remarks: (Gravel packing, cementing, packers, type of shutoff) ### CASING PULLED T	use: If use state in and A ESTIMATED Size of Drilled Help	ad for irrig number of addition), ANNUAL \ Size and weight of Casting 6"#D 17 &b	WITHDRAN Prom (Feet) CAS	WAL	, drainage on or other da	r other. Exp tia (i.e. Lot, E	olain, Block				
atgallons per minute, measuredminutes after pumping began. *Measured from ground level. Well developed by	use: If use state in and A ESTIMATED Size of Drilled Help	ad for irrig number of addition) ANNUAL \ Size and velent of Casing 6"1D 17 4b per ft	WITHDRAN Prom (Feet) CAS	WAL	, drainage on or other da	r other. Expita (i.e. Lot, E	Plain, Block				
began. *Measured from ground level. Well developed by for	use: If use state in and A ESTIMATED Size of Drilled Help	ad for irrig number of addition) ANNUAL \ Size and velent of Casing 6"1D 17 4b per ft	WITHDRAN Prom (Feet) CAS	WAL	drainage on or other de	PERFORATIONS Prom (Feet)	Plain, Block To (Fest)				
*Measured from ground level. Well developed by for	use: If use state in and A ESTIMATED Size of Drilled Help	ad for irrig number of addition) ANNUAL \ Size and velent of Casing 6"1D 17 4b per ft	WITHDRAN Prom (Feet) CAS	WAL	, drainage on or other da service of the control of	r other. Expands (i.e. Lot, E	Te (Fest)				
Well developed by for	use: If use state in and A ESTIMATED Size of Drilled Help	ad for irrig number of addition) ANNUAL \ Size and velent of Casing 6"1D 17 4b per ft	WITHDRAN Prom (Feet) CAS	WAL	tatic water le	r other. Expands (i.e. Lot, E	Te (Fest)				
Power	USE: If use state in and A ESTIMATED Site of Printed Help 6"10	ad for irrig number of addition) ANNUAL \ Size and velent of Casing 6"1D 17 4b per ft	WITHDRAN Prom (Feet) CAS	WAL	tatic water le umping water increasured	r other. Expire (i.e. Lot, E	Te (Fest)				
Remarks: (Gravel packing, cementing, packers, type of shutoff) NUN SEN Sec. B CASING PULLED T. H N R. 20 W INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES. Driller's Signature CAMP VELL OR ILLING & DUMP SUPPLY	USE: If use state in and A ESTIMATED Site of Printed Help 6"10	ad for irrig number of addition) ANNUAL \ Size and velent of Casing 6"1D 17 4b per ft	WITHDRAN Prom (Feet) CAS	WAL	tatic water le umping water teasured	r other. Expire (i.e. Lot, E	Te (Fest) ft.* er minute, r pumping				
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES. Driller's Signature CAMP VELL OR ILLING SUPPLY	USE: If use state in and A ESTIMATED Site of Printed Help 6"10	ad for irrig number of addition) ANNUAL \ Size and velent of Casing 6"1D 17 4b per ft	WITHDRAN Prom (Feet) CAS	WAL	tatic water le umping water le	r other. Expire (i.e. Lot, E	(Fest) Te (Fest) ft.* er minute, r pumping				
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES. Driller's Signature CAMP VELL DRILLING & DUMP SUPPLY 1822 S. 144h W. Missouria Montage	USE: If use state in and A ESTIMATED Site of Printed Help 6"10	ad for irrig number of addition) ANNUAL \ Size and velent of Casing 6"1D 17 4b per ft	WITHDRAN Prom (Feet) CAS	WAL To (Feet) S P a m b + V F P	tatic water le umping water to easured	r other. Expets (i.e. Lot, E	Te (Feet)				
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES. Driller's Signature CAMP VELL DRILLING & DEATH SUPPLY	USE: If use state in and A ESTIMATED Site of Printed Help 6"10	ad for irrig number of addition) ANNUAL \ Size and velent of Casing 6"1D 17 4b per ft	WITHDRAN Prom (Feet) CAS	WAL	tatic water le umping wate t	r other. Expense (i.e. Lot, E	(Feet) Te (Feet) ft.* er minute, r pumping				
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE. EACH SMALL SQUARE REPRESENTS 40 ACRES. Driller's Signature	USE: If use state in and A ESTIMATED Size of Printed Help 6"10	ad for irrignumber of addition) ANNUAL \ Size and weight of Casing 6"ID 17 lb per ft N	MITHDRA' Prom (Fost) CAS (WAL	tatic water le umping water teasured	r other. Expire (i.e. Lot, E	(Feet) Te (Feet) ft.* er minute, r pumping				
Driller's Signature	USE: If use state in and A ESTIMATED Size of Priviled Holes 6"10	ad for irrighted	MITHDRA' Prom (Fost) CAS (WAL	tatic water le umping water teasured	r other. Expire (i.e. Lot, E	ft.* er minute, r pumping				
Driller's Signature CAMP VELL DRILLING & JUMP SUPPLY	USE: If use state in and A ESTIMATED Size of Priviled Holes 6"10	ad for irrighted	MITHDRA' Prom (Fost) CAS (WAL	tatic water le umping water teasured	r other. Expire (i.e. Lot, E	ft.* er minute, r pumping				
1522 S. 14th W. Missoula, Nontana	WEE If use state in and A ESTIMATED Size of Prices Holes Hol	ANNUAL \ Size and weight of Casing 6"10 17 4b per #4 N N R	ASSI	WAL	tatic water le umping water legan. Measured fro Vell develope or comments: (Granackers, type of CASING.)	r other. Expire (i.e. Lot, E	To (Fest) (ft.* ft.* gr minute, r pumping vel. HFcementing,				
1622 S. 14th W. Missoula, Nontana	WEE If use state in and A ESTIMATED Size of Prices Holes Hol	ANNUAL \ Size and weight of Casing 6"10 17 4b per ft N R	occess and WITHDRAY Prom (Post) CAS (WAL	tatic water le umping water le	r other. Expire (i.e. Lot, E	(Feet) To (Feet) (Feet) High representation of the second of the seco				
Driller's Address 7322 S. 14th W., Missour, Montana	WW WW INDICATE I EACH SMA	ANNUAL \ Size and weight of Casing 6"10 17 4b per ft N R	occess and WITHDRAY Prom (Post) CAS (WAL	tatic water le umping water le	r other. Expire (i.e. Lot, E	(Feet) To (Feet) (Feet) High representation of the second of the seco				

Indicate the character, color, thickness of strata such as soil, clay, sand,

gravel, shale, sandstone, etc. Show depth at which water is found and

height to which water rises in well.

Top of Ground

ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

1	Under	Chapter	237	Montana	Session	Laws.	1961.	45	amended

his form to by the own which the v	be prepared the best of the present the present the present to the present the	county	driller, and Clerk and	nd three co d Recorder be retained	pies to be in the coun	filed ity in	From (Feet)	To (Feet)		
Please answ	er all quest	ions. (if i	not applic	able, so sta	te, otherwis	e the	٥	1	Brown aloy & Grayel	
orm may b	e refurned <u>.</u>						.31_	37_	_GCOY_CLOY_A_GENYAL	
بے 1995ء Swner	nset W	FST 7	WE.							
					nistrator's U					
Address MX1	710.Wa			File 243	1;32911	<i>l</i>				
	naula,l	Men.t.an	a	MARC	H 14,197	13				
Date well s	tarted ERP.	21.	1973	GW 1 11:.4:	1.A.A.					:
com	oleted E.R.D.	22,	1973							
Type of we	IIDe.f.A.	led	************	ag, driven, bored						
E			(Du	sg. driven, bored	or drilled)	,				<u> </u>
ednibueut	usea <i>Garti</i> c	D UK. X.S.	A	Churn drill, rotar	y or other)	······································				
Water Use:	Domestic	□ Mu	nicipal [] Stock [] Irrigatio					
Indu	strial []	Drainage	- D 01	ther □*	Garden/Law	, □				
		_								
									هٔ کیا کا بعد دی جند چین کا جنا کا کا بعد باید کا ب	
etate it iscu	nd for irrig number of a	ation, in acres and	dustrial, location	drainage or or other da	other. Ex ta (i.e. Lot,	plain, i Block				- 1
				************						Į
										ţ
							~			
Size of DriBed Hele	Size and Weight of Casing	From (Feet)	(Feet)	1	ERFORATION	8				3
6"ID	6"ID	CASI	NG FUL	LEO Sine	From (Fest)	To (Foot)				1
	17 Lb		1							3
ļ	per ft	•		1		'	~			
			1	1						#
-	İ		}	ł						
]			İ	į į					5,
	N				(į
				tic water lev						1
		1								Ì
			me	asured						1
*				gan. Jeasured froi	m around le	aval				þ
	, x	1		il develope						j
· -		<u> </u>		***************************************						
1 1	Ì	1 1		wer						1
<u> </u>		لــــــــــــــــــــــــــــــــــــــ		marks: (Grav :kers, type c		_				3
11.1		en en								3
	<u> き </u>			CASING F	VLLEU	************				١
I	氏 K	<u></u>	Ž							, ,
INDICATE	LOCATION	OF WEL	L AND F	PLACE OF L	ISE, IF POS	SIBLE.				
EACH SMA	LL SQUARE	Λ.	//	•				<u> </u>		i
Driller's Sig	nature	X	eur	N Gan	nf	ner-v-				
		GAMP !! 1522 S	cLL UR . 14th	W., Miss	soula. M	ent ana	}	 -		
Driller's Ad	idress					····59801	l	·	· · · · · · · · · · · · · · · · · · ·	

Show exact depth of bottom

•			\ /A`		A.7 ~				14K 20W	
-	•		4,5	7	L'A Em	CEN!	• -		CountyHlasoule	60
-) DNT/	 Ana	Γı	· · · · · · · · · · · · · · · · · · ·	E)	DRILLIER'S LOG	
W	\sim		NUC	IDWATER C	ODE	1) 2 _{2 197}	ים כי	Indian	te the character, color, this	-l-
7//	/20		SOU	RCES BOA	NDWATER	1941. Contract	٦,	ness o	fe the character, color, this f strata such as soil, clay, san	
עו אא	/ ///		0	F GROUI	NDWATE	OF	MATIES.	gravel	, shale, sondstone, etc. Sho	
\mathcal{S}	/// /		ME	ANS OF	WELL.	.50	$\eta_{I(0)}$	copiii	at which water is found a	
, ,	,		*	y 1, 1962	******			height	to which water rises in we	ell.
ے	$\widehat{}$, as amend	-d) -	7 ef	C	•	
_	_/				•		 -	Ground	(Bier, above ten ferei)	
			an anc	id three co I Recorder	pies to be in the coun	tiled	Prom (Feet)	To (Feet)		
			3 k	e retained	by driller.	, 	0	1	Block Dirt & Gran	2
;			, lici	able, so sta	ite, otherwis	e the	1	25k	Tan Clay & Grave!	
U,	this		rel –			. }	255	26	Clay, Orayel & Sec Water	2_2
NA	this	مر م			·		26	34	Tan Clay & Grave!	
	۸ . ۱	IT 1	1-		nistrator's U		34	48	Brown Clay & Brave	
well		w ,	. ↓F	ile 24/8	;328184		<u> 48.</u>	<u>80</u>	Light Gray Clay 4	
			Ţ	1 . 2	. 1077		_8 0_	91	Sandy Glay & sees water	97_
			~	tesc.co.s	0,1973		91	99	Gray Clay. Sand &	<u>Gr</u>
Date well	started Aug.	18, 1	972	sw 1/.:	30 A.M		22	106_	<u> Erowa Clay & Grav</u>	eT _
								154	Brown Glay	
con	npleted		13/2				154_ 157	15Z_ 168	<u> </u>	
Type of w	ell Dril	led				Ì	168	172	Brown Glay & Char	
••		••••		g, driven, bored	or drilled)				Water (1% epm)	
Equipment	used Chu	rn Dri	!!				172	_198_	Grown_Glay_&_Gbar	
14/ 11				bura driil, rota		_	198	215	Light Gray Clay &	<u> </u>
water Use	: Domestic	El Wu	nicipal 🔲	Stock [] Irrigatio	on 🗆 📗	215	237	Brown Clay & Char	202
!nd	lustrial 🖂	Drainage	. □ O+l	her □*	Garden/Lav	vn 🗖	.227_	245	wite_shate_s_Cha	
	_	-				🗀 🔰	245	290_	<u>Light beave shale</u>	
						ł			A4	
	***************************************				••••••				Gerenal & Amail	
USE: If us	ed for irria	ation, inc	dustrial. c	drainage o	r other. Ex	plain,			Charcaal & smill	
USE: If us state	ed for irrig number of a	ation, ind scres and	dustrial, o	drainage of or other da	ita (i.e. Lot,	Block				=
USE: If us state	ed for irria	ation, ind scres and	dustrial, o	drainage of or other da	ita (i.e. Lot,	Block				
USE: If us state and .	ed for irrig number of a	ation, inc acres and	dustrial, o location	drainage or other da	ita (i.e. Lot,	Block				
USE: If us state and .	number of a Addition)	ation, induction and acres and	dustrial, o	drainage of or other da	ita (i.e. Lot,	Block				
USE: If us state and . ESTIMATED Size of Dirities Hole	ted for irrig number of a Addition)	VITHDRA	dustrial, o location WAL	drainage of or other da	PERFORATION	Block				
use: If us state and .	Addition) ANNUAL V Stop and Weights Weights GMID	ation, induction and acres and	WAL	drainage of or other da	ita (i.e. Lot,	Block				
USE: If us state and ESTIMATED Size of Divided Hole	Addition) Addition) ANNUAL V Size and Weight of Calling 6" I D 17 Lb	VITHDRA	WAL	drainage or or other da	PERFORATION	Block				
USE: If us state and ESTIMATED Size of Divided Hole	Addition) ANNUAL V Stop and Weights Weights GMID	VITHDRA	WAL	drainage or or other da	PERFORATION	Block				
USE: If us state and ESTIMATED Size of Divided Hole	Addition) Addition) ANNUAL V Size and Weight of Calling 6" I D 17 Lb	VITHDRA	WAL	drainage or or other da	PERFORATION	Block				
USE: If us state and ESTIMATED Size of Divided Hole	Addition) Addition) ANNUAL V Size and Weight of Calling 6" I D 17 Lb	VITHDRA	WAL	drainage or or other da	PERFORATION	Block				
USE: If us state and . ESTIMATED Size of Dirities Hole	Addition) Addition) ANNUAL V Size and Weight of Calling 6" I D 17 Lb	VITHDRA	WAL	drainage or or other da	PERFORATION	Block				
USE: If us state and ESTIMATED Size of Divided Hole	Addition) Addition) ANNUAL V Size and Weight of Calling 6" I D 17 Lb	VITHDRA	WAL	drainage or or other da	PERFORATION	Block				
USE: If us state and . ESTIMATED Size of Dirities Hole	and for irrig number of a Addition) DANNUAL V Step and Weight of Coing 6 17 10 17 15 per 112 1	VITHDRA	WAL	Kind Size	PERFORATION	Block S To (Feed)				
USE: If us state and ESTIMATED Size of Divided Hole	and for irrig number of a Addition) DANNUAL V Step and Weight of Coing 6 17 10 17 15 per 112 1	VITHDRA	WAL (Feet)	Kind Size	PERFORATION From (Feet)	Block S To (Feet)				
USE: If us state and . ESTIMATED Size of Dirities Hole	and for irrig number of a Addition) DANNUAL V Step and Weight of Coing 6 17 10 17 15 per 112 1	VITHDRA	WAL (Feet) Stati	ic water le	PERFORATION From (Foot) vel	Block To (Feet) ft.* oer minute,				
USE: If us state and . ESTIMATED Size of Dirition Hole	and for irrig number of a Addition) DANNUAL V Step and Weight of Coing 6 17 10 17 15 per 112 1	VITHDRA	WAL (Feet) Stati	Kind Kind Kind Kind Kind Kind Kind Kind	PERFORATION From (Feet)	Block To (Feet) ft.* oer minute,				
USE: If us state and ESTIMATED Size of Divided Hole	and for irrig number of a Addition) DANNUAL V Step and Weight of Coing 6 17 10 17 15 per 112 1	VITHDRAN Promi (Fost) PULL	WAL	Kind Size	PERFORATION From (Foot) vel	### And the second seco				
USE: If us state and state	Addition) ANNUAL V Biss and Weight of Casing 6" # D 17 Lb per # 2 a	VITHDRAN Promi (Fost) PULL	Stati Pum at . mea E *Me	Kind Bise	PERFORATION From (Feet) vel	ft.* ft.* oer minute, er pumping evel.				
USE: If us state and	and for irrig number of a Addition) DANNUAL V Step and Weight of Coing 6 17 10 17 15 per 112 1	VITHDRAN Promi (Fost) PULL	Stati Purrate begget Well for	ic water lenping water lensured	PERFORATION From (Feet) vel	ft.* (Feet) ft.* er pumping evel.				
USE: If us state and	Addition) ANNUAL V Biss and Weight of Casing 6" # D 17 Lb per # 2 a	VITHDRAN Promi (Fost) PULL	Stati Purmat . mea beg Well for Pow	ic water lending	vel	ft.* ft.* ft.* per minute, er pumping evel.				
USE: If us state and	Addition) ANNUAL V Bloo and Weight of Comins 6"1D 17 Lb per # \$	VITHDRAN Promi (Fost) PULL	Stati Pum at . mea beg *Me Wel For Pow Rem	ic water length of the same of	velgallons after m ground led by	ft.* ft.* er minute, er pumping evel. HP cementing,				
USE: If us state and ESTIMATED Fine of Drilling Blook 6 # 1 D	Addition) ANNUAL V Bloo and Weight of Comins 6"/D 17 Lb per # \$	VITHDRAN Promi (Fost) PULL	Stati Pum at . meas beg Wel for Pow Ren	ic water length of the same of	vel	ft.* ft.* er minute, er pumping evel. HP cementing,				
USE: If us state and ESTIMATED Prints 6 # 1 D	Addition) ANNUAL V Size and Weight of Coming 6"/D 17 Lb per 112. N	VITHDRAN VITHDRAN Post Post PULL CAS II	Stati Pum at . meas beg Wel for Pow Ren	ic water leading	PERFORATION From (Feet) r level	ft.* ft.* er minute, er pumping evel. HP cementing,				
USE: If us state and ESTIMATED Fine of Drilling Book Book Book Book Book Book Book Boo	Addition) ANNUAL V Bloo and Weight of Comins 6"/D 17 Lb per # \$	VITHDRAN VITHDRAN Post Post PULL CAS II	Stati Pum at . meas beg Wel for Pow Ren	ic water leading	velgallons after m ground led by	ft.* ft.* er minute, er pumping evel. HP cementing,				
USE: If us state and ESTIMATED Size of Drillon 6 10 10 10 10 10 10 10 10 10 10 10 10 10	Addition) ANNUAL V Size and Weight of Comming 6"/D 17 Lb per #1.	VITHDRAN Promi (Fost) CAS II PULL	Stati Purrate beg *Me Wel for Pow Rem pac	Kind Bise or other da water length of the saured	PERFORATION From (Feet) r level	ft.* ft.* per minute, er pumping evel. HP cementing,				
SE: If us state and ESTIMATED State of Drinks 6 10 10 11 11 11 11 11 11 11 11 11 11 11	Addition) ANNUAL V Size and Wester of Commits of	VITHDRAN VITHDRAN Prost (Feet) CAS II PULL	Stati Pum at . meas beg *Me Wel for Pow Rem paci	ic water leading	PERFORATION From (Feet) r level	ft.* ft.* per minute, er pumping evel. HP cementing,				
SE: If us state and ESTIMATED State of Drinks 6 10 10 11 11 11 11 11 11 11 11 11 11 11	Addition) ANNUAL V SE. // Se N R. LOCATION ALL SQUARE	VITHDRAN VITHDRAN CAS II PULL OF WELL REPRESE	Stati Pum at . mea beg *Me for Pow Rem paci	ic water leading	PERFORATION From (Feet) Vel	ft.* ft.* ft.* ft.* per minute, er pumping evel. HP cementing.				
SE: If us state and ESTIMATED State of Drinks 6 10 10 11 11 11 11 11 11 11 11 11 11 11	Addition) ANNUAL V Size and Wester of Commits of	VITHDRAN VITHDRAN CAS II PULL OF WELL REPRESE	Stati Pum at . mea beg *Me for Pow Rem paci	ic water leading	PERFORATION From (Feet) Vel	ft.* ft.* ft.* ft.* per minute, er pumping evel. HP cementing.				

NW 14 SE 14 Sec. 8 T. 14 NR 20

RECEIVED FEN 22 1973

County. Hissoula

height to which water rises in well.

DRILLER'S LOG

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD TANK DESCRIPTION OF GROUNDWATER OF WATER OF WA

Developed after January 1, 1962

	10 prot 23/	MOULT BUT	Jestion L	ews, 1961,	as amend	led)	Top of	Ground	(Elev. above see level)	
This form to by the own	er with the	County	Clerk and	Recorder i	n the cour	filed nty in	From (Feet)	To (Foot)		
which the					•		<u></u>	-1	Block Dirt & Gravel	~
Please answ form may b		ions. It n	or applica	DIO, SO STAT	e, otherwit	ie ine	25%	25%	Clay Good & San	-
	UNSET W)e. > 7-	NC.				35%	_26_	Clay, Grave! & Seep Water	¥'
30	RENSON &		νc, 				26	34	Tan Clay & Gravel	
Owner	723 WEST			For Admir	istrator's U	lse	34	48	Prove Clay & Gravei	
	744-5444	Market Contract					48	80	Light Gray Clay & Gr	avd
Address			Fi	le 2418;	JKR!!.B.Y		80	97	Sandy Clay & xeep of	
м	teroula,	Montai		0. 22	1000	l l			water	
**************			····· 7	Eds. 20	1		97	98		ave.
	itarted Awg.	78. 19	972	w 1/./	2a	_	99	กกร	Brown Clay & Gravel	
Date well s	tarted			W 1	2.91917.	?	106	154	Drown Glav	
	pleted Sep t	. 15.	1972			1	154	157	Water (2% apm) Chart	044
com	pleted		·····				157	300	Brown Clay & Chares	
	Dell	l ed					168	172	Brown Clay & Charges	
Type of we	II Dett			, driven, borad	or skilled)	······			Water (15 epm)	
	. Chu			, 4111614 00110			172	198	Brown Clay & Charges	1
Equipment	used Chu	a.ra fab. f	· · · · · · · · · · · · · · · · · · ·	nurs drill, rotar	or other)	*******	124	215	Light Gray Clay &	
		.	•			_			Cheropal	
Water Use:	Domestic	E) Mu	nicipal 🔲	Stock [Irrigati	on 🔲	215	237	Brown Clay & Charcas	<u> </u>
							237	245		
Indu	etrial 🔲	Drainage	□ Oth	ег 🗀 *	Garden/Lav	wn 🔲		290	Links brown shele	
									Charceal & small	
*Describe	***************	•••••••			•				Grave I	•
USE: If use	ed for irrig	ation, inc	dustrial, d	rainage or	other. Ex	xp!ain,				
state	number of a	cres and	location of	or other da	la (i.e. Lot,	Block				1
and 4	Addition)									1 .
	tadinon,	************			••••••	**********			-	1
ESTIMATED	ANNIIAI V	VITUDDAY								1
WINNIED	WHITOUR !		MΔ1		,		1	i		
		-						 		1
Sice of Drilled	Size and Weight	-			ERFORATIO!	NS				1
Nos of Drillog Hote	Size and Weight of Casing	From (Fool)	Te (Feet)	,	erforatio					
Sies of Drilled Hote 6 * 1 D	6"!0	From (Fool) CAS //	(Feet) VG			YS (Feet)				
	6"!D	From (Fool)	(Feet) VG	,	erforatio					
	6"!0	From (Fool) CAS //	(Feet) VG	,	erforatio					
	6"!D	From (Fool) CAS //	(Feet) VG	,	erforatio					
	6"!D	From (Fool) CAS //	(Feet) VG	,	erforatio					
	6"!D	From (Fool) CAS //	(Feet) VG	,	erforatio					
	6"!D	From (Fool) CAS //	(Feet) VG	,	erforatio					
	6"!D	From (Fool) CAS //	(Feet) VG	,	erforatio					
	6"!D	From (Fool) CAS //	(Feet) VG	,	erforatio					
	6"ID 17 lb per ft.	From (Fool) CAS //	(Peed) VG	Kind Size	ERFORATION Prem (Foot)	(Post)				
	6"ID 17 lb per ft.	From (Fool) CAS //	(Feet) VC	Kind Size	Prom (Feet)	(Feet)	*			
	6"ID 17 lb per ft.	From (Fool) CAS //	(Feet) (Feet)	Kind Sise	ERFORATION From (Feet) rel	(Feet)	,			
	6"ID 17 lb per ft.	From (Fool) CAS //	Stati Pum at mea	Kind Sise	ERFORATION From (Feet) rel	(Feet)	,			
6*10	6"ID 17 lb per ft.	Promited the CAS (I) PULL (I)	Stati Pum et	Kind Sise C water level ping water sured	relgallons af	(Feet)	,			
	6"ID 17 lb per ft.	Promited the CAS (I) PULL (I)	Stati Pum af mea beg	Kind Sise C water level ping water sured	relgallons minutes af	(Feet) ft. per minutater pumpin	,			
6*10	6710 17 lb per ft.	Promited to the control of the contr	Stati Pum at beg s Me	Kind Sise C water leveloping water sured	rel	(Feet)	,			
6*10	6"ID 17 lb per ft.	Promited to the control of the contr	Statil Pum af mea beg *Me Wel for	kind Size C water leveloping water sured	relgallons minutes af m ground d by	(Feet) ftft. per minutater pumpin	9			
6*10	6710 17 lb per ft.	Promited to the control of the contr	Statil Pum af mea beg * Me Well for Pow	kind Size C water leveloping water sured	relgallons minutes af byhiursPump	ftft. per minuta ter pumpin level.	P			
6*10	6710 17 lb per ft.	Promited to the control of the contr	Stati Pum at mea beg a Me Well for Pow Rem	c water let size and	relgallons minutes af m ground byhriursPumprel packing	(Feet) ftft. per minutater pumpin	P			

NAIN SE IS SON PO		1 7			1
NW 14 SE 14 Sec. B. T. 17 NR 20 CASING PULLED]
₩					
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.		 -			-
EACH SMALL SQUARE REPRESENTS 40 ACRES.		1			┥.
Driller's Signature SUPFLY OR ILLING & PUMP SUPFLY					
CAMP WELL DRILLING (PUMP SUPPLY		L4	,		_
Driller's Address 1522 S. 14th W. Missoula, Montana 598	01	لــــــــــــــــــــــــــــــــــــــ			<u> </u>
LICENSE NO 7		0'	Show exact	depth of botto	m
				\	
				_	

I received and sleet this instrument for record on the 20 day of 1971

MILES o'clock M, permanent files of Misroula County, State of Montana
Wiles my Iranu:
Dorothy L Head, County Recorder
By Paid

w 2 (5) Vile No			Approved	Stock Forms	-	Co., Helena, Mos		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
OUPLICA	•					onty Misso		
	Top of Ground		ADMINIS'	trator (OF MOVE	DANETE C		
-	(Elev. above see level	, 1	Notice of	Compl	etion o	f GYANA	196	とり
-	/	•	Approp	riation	by Me	PAPE	ioli.	
_6'	pit					ession Laws,		LER
_6' 50'	clay gravel		Claude Lac		Addresa			184004.4.1.2.4.1.2004 72 0
501		Driller	John Farre	11	Addrens	Arlee Mo	nt	
53'	gravel water igal min	Date of	Notice of Approp	priation of	Groundwat	er		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
531		Date we	ell startedPsg.					
601	yellow clay	Type of	well drille	d	Zouion	ent Used	ırn dr	111
60' 68'	brown clay	••	triven, bored or		(Churn other)	, drill, rotary of	•	
_68 ' _84'	red clay	Water 1	Use: Domestic Industrial	_	nicipal [] aisoge []	Other 🗌 Stook 🗎	Îri	igation [
108°	white clay gravel	strata n Show de	dicate on the di net with in drilli opth no which we strota and heigh	ng, such a ster is ence	s soil, clay, ountered, th	sbale, gravel, ickness and o	rock or	sand, etc.
112'	dark brown clay	Serring	anche and neigi	at to water	T March 1196	s iii die weii,		
112		Mare of Drilles	Notes and	Prom (Feet)	To (Feet)	Ptati	CRATION	,
113	water gravel 3 gal min	### 3"	147 8	61	1061	Elnd No	From (Foot)	To . (Pest)
123	bard clay gravel							
-								
_	***************************************							
-	, <u>, , , , , , , , , , , , , , , , , , </u>	7	atic Water Level aut-in Pressure f					
- 1		1	ımping Water Le		=	t et3		
		Di	ischarge in gal. p	er min. of	flowing we	11		************
- 1	*	E Ho	ow Testedba	iler	Leng	th of Test	hour	
-		Re		place of u	ue of groun	packers, typedwater if no formation, inc	t at wel	l, and an
						rigation)		
-	SHEWE Sec. 9 Till R. 2		20' 4" perfo	•		= :		
- -	Indicate location of well as place of use, if possible. Ea small aquare represents 10 acre	eh			***************************************	*****************	,	n ggg en en did des ggad
123	Show exact depth of bottom.			***************************************	Driller	14 's License Nu	mber	***************
					Driller	has Fan 's Signature	rell_	

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

ويمرا



東京の中では、100mm年代の1. **110mm年代**では、100mm年代

DOS TOTAL THE WELLER WOULD BE VELO

TISH OF TIPH

. . .

A	· · · · · · · · · · · · · · · · · · ·
₩ У	Approved Stock Form-State Publishing Co., Hele- Montana-42234
ile No	T /4N R 20 W
UPLICATE	ETATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER County Trusaule DECENTRO
De	eclaration of Vested Groundwater Rights ENGINEER
	(Under Chapter 237, Montana Session Laws, 1961)
10	
Morean	E Jackney, of 1862 Messaula of Appropriator) (Address) (Town)
Country of M	undwater according to the Montana laws in effect prior to January 1, 1962, as follows:
	2. The beneficial use on which the claim is based
	3. Date or approximate date of earliest beneficial use; and how continu-
	3. Date or approximate date of earliest beneficial use; and how continu-
	ous the use has been Ouly 22, 1958
	E
	4. The amount of groundwater claimed (in miner's inches or gallons per minute)
	5. If used for irrigation, give the acreage and description of the lands to which water has, been applied and name of the owner thereof
NE/14 SE 14 2 14 Sec. 9 T/4	10 Which water has been applied and halle of the owner thereof
2 1/4 Sec. 9 T/4	VRZAW and Duran E Sachner
ndicate point of appr nd place of use, if possib mall square represents :	ole. Each
7. The date of comme drawal of groundwa	encement and completion of the construction of the well, wells, or other works for with-
O mi - 2 - 4 - 64 - 4	table 18/4.
_	
9. So far as it may be works for the withdr	e available, the type, size and depth of each well or the general specifications of any other awal of groundwater.
.0. The estimated amoun	nt of groundwater withdrawn each year 3,888,000 gale
1. The log of formation	is encountered in the drilling of each well if available

2. Such other informat reference to book an	tion of a similar nature as may be useful in carrying out the policy of this act, including d page of any county record
	Signature of Owner Sough & Likeur Date Sec. 31, 1963
	Date 22 3 1 96 3
Three copies to be filed b	by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Burcau of Mines and Geology, and Quadruplicate for the Appropriator.



CE 13

GW 3	
File	No

76 450 10 T 14 P R 20W

DUPLICATE

County Massacka DECEIVED

R CODE DEC 26 1963

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

STATE OF MONTANA

(Under Chapter 237 Montana Session Laws, 1961)

This focution of this aging	Date of Appropriation of Groundwater Lasse. A. Lohnson 1434 Howelh 37 Owner English Machinish Address Folkhaden ST
maybe not exectly correct as to the profest location on this chart.	Contractor (if any)
W	Date Started
Indicate point of appropriation and place of use, if possible.	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent estimate approximate lengths of periods of use

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

I received and filed this instrument for record on the 1.3 day of 1.4.1.10.63 of 1.1.2 clock P. M. permanest likes of Miscools County, State of Montans Witness my hand:
MARTIN'S, BEHNER, County Recorder
By Chapter County Recorder
By Chapter County Recorder
Fig. 1. Poid

ί,

File	No

GW 3

DUPLICATE

nW4 sec 10 T 14 1 R 20 W

County...

STATE OF MONTANA

CODE DECEIVE DEC 26 1963

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater desse H. defined 1434 Houell 57
	Owner Eugene M. Jahren Address 508 hunder ST
W	Owner Lucie Le La Labraca Address 508 Lucie St. Contractor (if any) Address of Contractor Date Started Date Completed Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable Natural Springs Them in English From Under Anguard To Sunface Springs Developed with Sinface Strade and piped Lee' For Irraes Tink
	Quantity of water developed and used with explanation of meth- od used to measure or estimate such amount. If use is intermit-
N.W. 4 Sec. 20 T./4. R.20.V Indicate point of appropriation and place of use, if possible.	
	Signature of Owner Lingson Johnson Date Dec 13, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

Devorced.	Stock	Form-State	Publishing	Co.,	Helena.	Montana-41336
2499.0104	-					

2	1.5
_	10
	11
	10

File No.

7W 43000 T 14 P 20 N

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

County Mississian ECEIVED

CODE DEC 26 1963

Notice of Appropriation of GroundwaterSTATE ENGINEER (Under Chapter 237, Montana Session Laws, 1961)

(0.000 0.000)		1011.57	Missoul
desse A. dohrsod Eugene hi Maduseth	508 Lind	ewsT	Missocha
(Nama of Ammanniaton)	(Address)		(Town)
nnty of Misserial in accordance with Chapter	237, Montan	a Session La	, intend to ap- ws of 1961.
e beneficial use to which water is to be applied	is Future	e Ico	eastied Fo
(describe lands to be benefited, if for irrigation	by Bo	TEM	band
e rate of use in gallons per minute or miner's inc			
I de guil fred mi	anth	······	
e annual period (inclusive dates) of intended us	e	1= =	Sepl 30 1
e probable or intended date of first beneficial u			
e probable or intended date of commencement ar	d completion	of the well*	or wells*
e location, type, size and depth of well or wells Doilled Walk - 6" Appea	contemplated	1 60°	in Depth
e location, type, size and depth of well or wells	contemplated #11Md.Te.L or artesian		IN DEPTH
e location, type, size and depth of well or wells Daille d. Linklin La Appear	contemplated ***LIMBTeL or artesian aged	equitier. M	IN DEPTH
te location, type, size and depth of well or wells Drilled in all a land a lan	contemplated **J.I.M.J.T.e.L. or artesian aged	equitier. M	IN DEPTH
Drilled Linkly Approximated depth of well or wells be probable or estimated depth of the water table ame, address and license number of the driller engineers we such other similar information as may be used carrying out the policy of this set	contemplated ***/*/*/*/*/*/ ** or artesian ** **aged	equitier. M	IN DEPTH
Drilled Linkly Approximated depth of well or wells be probable or estimated depth of the water table ame, address and license number of the driller engineers we such other similar information as may be used carrying out the policy of this set	contemplated ***/*/*/*/*/*/ ** or artesian ** **aged	equitier. M	IN DEPTH
te location, type, size and depth of well or wells Drilled in all a land a lan	contemplated ***/*/*/*/*/*/ ** or artesian ** **aged	equitier. M	IN DEPTH
the location, type, size and depth of well or wells Dhillied Lividia La Hppno the probable or estimated depth of the water table ame, address and license number of the driller eng we such other similar information as may be used carrying out the policy of this set Lividia Lacilian of their	contemplated V.1112.Te.L. or artesian aged	equitier. M	IN DEPTH
Drilled Linkly Approximated depth of well or wells be probable or estimated depth of the water table ame, address and license number of the driller engineers we such other similar information as may be used carrying out the policy of this set	contemplated V.1112.Te.L. or artesian aged	equitier. M	OPROX 6057
the location, type, size and depth of well or wells Dhillied Lividia La Hppno the probable or estimated depth of the water table ame, address and license number of the driller eng we such other similar information as may be used carrying out the policy of this set Lividia Lacilian of their	contemplated VIIIATEL cor artesian aged	equitier. M	OPROX 6057
the location, type, size and depth of well or wells Dhillied Livillia La Hppno the probable or estimated depth of the water table ame, address and license number of the driller eng we such other similar information as may be used carrying out the policy of this set. Livillian Landon License Livillian Landon License	contemplated VIIIATEL cor artesian aged	equitier. M	OPROX 6057
the location, type, size and depth of well or wells Dhillied Livillia La Hppno the probable or estimated depth of the water table ame, address and license number of the driller eng we such other similar information as may be used carrying out the policy of this set. Livillian Landon License Livillian Landon License	contemplated VIIIATEL cor artesian aged	equitier. M	OPROX 6057

Possible on the plat.

Signature of Appropriator

Date. Acc. 13, 1961

• As defined in the Code Sec. 1 (a) "Well" means any artificial opening or excavation in the ground, however made, by which groundwater can be obtained or through which it flows under natural pressures or is artificially withdrawn."

Three copies of this notice are to be filed with County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

I received and libra that ignitument for record on the 3.3 day of DRC 1003 at 4.0.5. o'clock P. M., permanent fles of Niescala County State of Nontana Witness my bank MARTIN S. BELINER, County Recorder by Charles Agenty Recorder by Charles Recorder Brown Recorder Brown Recorder Rec

Form No. 18 8-60

County Margaret
MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana
WATER WELL LOG STATE ENGINEER
Owner flag weaver Address It Kegis Driller John Farrell Address arles
Driller John Farrell Address arles
Date Started 116 10 - 1911 Date Completed 115-191 Location: Sec. 7 11 T. 14 R. 20 1 sec. W. S. S. W. 4
Type of well Y Equipment used (when, dr. al., retary, etter)
Water use: Domestic 🔀 Municipal 🗌 Stock 🔲 Irrigation 🗍
Industrial Drainage Other
Casing: A ft. to 14 ft. Type /318 stel Size 6"
Casing:ft. toft. TypeSize
Casing:ft. toft. Type Size
Perforated or Screened: Ftto ft to ft
Type of screen or perforations
Static Water level, for non-flowing well:
Shut-in pressure, for flowing well:lb./sq. in. on:15-/96,
Pumping water level 40 feet at gal. per min. 16
How tested: Baile
Length of test 9 Hrs
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
Toyon)

Log of Well

Depth	, feet		Ĭ
From	То	Description of Material Drilled	
0	51	Red Clay growl	
51	1.0	fine and gravel Little water	
60	6.4	large growt water	
			~~~~~ <u>~</u>
	-		
	<del> </del>	PATE OF AR	
·		Sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a sund a su	
		Page 1	
			· · · · · · · · · · · · · · · · · · ·

JW 3	Approved Stock Form-State Publishing Co., Hejens, Montans-42362
File No	7 14 R 20
DUPLICATE	County
O	STATE OF MONTANA DETRATOR OF GROUNDWATER CODE DETRATOR OF STATE ENGINEER  LAN 3.1968
Notice of Comple	etion of Groundwater Appropriation EER Without Well
(Under e	Chapter 237 Montana Session Laws, 1961)
	Date of Appropriation of Groundwater
	Ownellery Time Daugherty Address 7 4 2 Massa
	Contractor (if any)
	Address of Contractor
	Date Started May 193 7 Date Completed 193
, R	Describe means of obtaining groundwater without a well "as !
	sub-irrigation and other natural processes". Include depth water when applicable
	artisian - 1 "pipe
w	E
	Quantity of water developed and used with explanation of meth
	used to measure or estimate such amount. If use is intermitte
A/F (22 a . (25 m.) 1/1 m.	estimate approximate lengths of periods of use
NE1/4. \$3 Sec. 13 T. 14 R 20 Indicate point of appropriation	
and place of use, if possible.	storp water - feels lake.
,	Bignature of Owner Hary Jane 1102 18 196

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

215502

1 control and filed this lastrument by record on the 3 lady above 1663 at 3 28 delect. My personnel like of liverale county. It also at Homesea Witness my head.

MARTIN S No NER County Records:

By Mar a Till S. Dak Ner Re Deputy

3 GW 2 Revised 1969

7 1971

DRILLER'S LOG Indicate the character, color, thick-ness of strata such as soil, clay, sand,

gravel, shale, sandstone, etc. Show depth at which water is found and

height to which water rises in well.

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

passiobed site. 3st	1, 1962				•	
(Under Chapter 237 Montana Session	on Laws, 1961, as amend	ded)	Top of	Ground	(Elev. above sea level)	
This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in			From (Feet)	To (Feet)		_; _; _;
which the well is located, last copy	to be retained by driller.		0	4	Brown topscil &	<u> </u>
Please answer all questions. If not ap	plicable, so state, otherwi	se the			Gravel	_}
form may be returned.	<del></del>		<u></u>	_20	Grown elay &	إن
					graval, trace of	إلى
Owner Richard Tag	For Administrator's U	Jse			<u></u>	}
	307/7	,	20_	25_	Beown clay	-
Address	k File	67/	25	27	Brown clay & water	_2,
Minaryla Mandayan El	september 3: 41) Po	7"				į.
	· · · · · · · · · · · · · · · · · · ·		27	34	Tgp clay & grave!	
Date well started	GW 1					~.}
•		l i	_34	36	Tan_clay & gravel	-:
completed		·································				-5
was about			_36	45	Sand silt water	-8
Type of well	(Dug. driven, bored or drilled)		45	40	Same_grave! Grave! & gray elsy	
Foundation of the following of the					seco_of_water	_9
Equipment usedChunnOnt.L.	(Churn drill, rotary or other)	••••••	49	81	Gravel, gray olay	
Water Use: Domestic 🔲 Municipal		ion 🖂			sonp of water	_{1}
<b>-</b>			<del></del>	-85	- Spay olay &	-}
Industrial 🔲 🛮 Drainage 🔲	Other []* Garden/La	wn 🔲 🔝			gravat	ڙ–
						-1
*Describe					+5	7
USE: If used for irrigation, industria	l, drainage or other. E	xplain,				7
state number of acres and locati	on or other data (i.e. Lot,	, Block				1
and Addition)	,	•••••				1.
						-{:
ESTIMATED ANNUAL WITHDRAWAL	***************************************					1
Size of Size and From To Drilled Weight (Feet) (Fee	n PERFORATIO	Ng .				١
Drilled Weight (Feet) (Fee	Kind From					1
6"1.0 6"1.0 13" 85"	Size (Fest)	To (Feet)	-			ł
6"1.D. 6"1.D. 13" 85"						3
per ft. g.t.				L		Ì
Par   Var     Par						
						1
		ļ		<del> </del>		į
		j			<u>_</u>	1
N						1
	Static water level <i>gr.</i> o.	rekel…bau				1
	Pumping water level					400
	atgallons					3
1 1 1 1	measuredgominutes af	ter pumping		<del></del>		Ś
W X E	began.					ğ
Measured from ground level.						~
	*Measured from ground Well developed by	level.				, and
	*Measured from ground Well developed by forhours,	level. a <i>t…pump…</i>				Mary Court
	Well developed by 🚗	st <del>pump</del>				Mark Carlotter
	Well developed by?	a <b>t pump</b> 				Self-a and Carlot A residence of the
	Well developed by <b>r</b> forphours, Power <u>r.tae</u> Pump	a <b>t pump</b> 				AND AND CARLES OF THE PARTY.
, s	Well developed by?	a <b>t pump</b> 				Self-and Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of t
	Well developed by?	a <b>t pump</b> 				を使っている。 のは、これには、これには、これには、これできる。これには、これできる。
, s	Well developed by?	a <b>t pump</b> 				
EZ NE , Sec. 24 T. 14 N R 20	Well developed by	st pump 				Hard Bridge Control of the Control o
EZ NE V Sec 24 T. 14 NR 20 W INDICATE LOCATION OF WELL AND	Well developed by	st pump 				
EZ NE , Sec. 24 T. 14 N R 20	Well developed by	st pump 				
EZ NE V Sec 24 T. 14 NR 20 W INDICATE LOCATION OF WELL AND	Well developed by	st pump 				
INDICATE LOCATION OF WELL AND EACH SMALL SQUARE REPRESENTS A Driller's Signature CAMP WELL DR	Well developed by	st-pump				
INDICATE LOCATION OF WELL AND EACH SMALL SQUARE REPRESENTS	Well developed by	st-pump				

* 2179

307171

Freceived and filed this Instrument for record on the Associates of Mariana 1974 190 clock. M. permanent files of Missoula County, State of Montana Witness my hand.

Veramas Rorouse, County Recorder

Paid

Fee S. Paid

DRILLER'S LOG

Indicate the character, color, thick-200 CT BUTness of strata such as soil, clay, sand,

depth at which water is found and

height to which water rises in well.

Top of Ground

## STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

#### NOTICE OF COMPLETION OF GROUNDWATER 3 MAD COMMERCAN gravel, shale, sandstone, etc. Show APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)

This form to be prepared by driller, and three copies to be filed

this form to be prepared by driller, and three copies to be filed by the cwner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.			To (Feet)	Clay
Please answer all questions. If not applicable, so state, otherwise the orm may be returned.			37	Sand, pea gravel, and
			82	clay Clay
I ⁻	For Administrator's Use	82	- 98	
Address Bud Lake Yillage	ile <i>254</i> 2; 334093	.90_	111	Sand, clay and seeps
Missoula, Montana	June 28, 1973	111	115	Clay
Date well started Pab 20 1973	sw 1 . 9:30 H.m.	115	117	Sand, gravel and water
completed				
ype of well				
quipment used Churn drill	hurn drill, rotary or other)			
Nater Use: Domestic 🗷 Municipal 🗆				د قات سا در رساس می رساس می رساس می ساد می در در رساس می رساس می رساس می رساس می رساس می رساس می در در در در در ا
Industriai 🔲 Drainage 🔲 Otl	her □* Garden/Lawn □			مر دمان میں میں میں بین میں میں میں میں میں میں میں میں میں میں
Describe	***************************************			
JSE: If used for irrigation, industrial, o state number of acres and location of	drainage or other. Explain, or other data (i.e. Lot, Block			
and Addition).				
STIMATED ANNUAL WITHDRAWAL	2,000,000 gallons			
Size of Size and From To Drilled Weight (Feet) (Feet)	PERFORATIONS			
	Kind From To Size (Feet) (Feet)			
6° 6° 17# 1 up 117				
	·			سـ هـ هـن چير هـ ه. پين هي چير بي هي
N	90 64			
Pum	ic water level			
at	gailons per minute,			
beg	,			
	easured from ground level.  I developed by Bailer			
for	hours.			
	rer			
	kers, type of shutoff)			
NW 14 5W 14 Sec. 17				
S (W/ INDICATE LOCATION OF WELL AND PI	ACE OF USE IF POSSIBLE			
EACH SMALL SQUARE REPRESENTS 40	ACRES,			
Driller's Signature	Heleaster_			
Driller's AddressC.K.C.Drilling	g. P.O. Box 670.			
Missoula, Montana	LICENSE NO. 185	1	17'	Show exact depth of bottom

2542

I received and filed this instrument for record on the A day of the 1971 at 1:30°clock. M., permanent files of Missaula County, State of Montana Witness my hand:

Dorotty L. Head, County, Recorder By Harty Halley, Deputy Fee \$ 1000 county Paid

anolism 000,000,S

15.6

(D)	ECI	EIV	E	M
M	wιΔΥ	9 19	58	עש

T 14 R 26
County Mussoula

## STATE ENGINEER MONTANA BUREAU OF MINES AND GEOLOGY

Owner Descharges Address
Driller John Farrell Address arlae  Date Started Opril 28-1958 Date Completed May 1-1957
Date Started Opil 28-1958 Date Completed May 1-1957
Location: Sec. 18 T. 14 R. 20 1/2 Sec.
Type of well
Water use: Domestic Municipal Stock Irrigation
Industrial Other:
Casing:
Casing:ft. toft. TypeSize
Perforated or Screened: Ft to ft to ft
Type of screen or perforations
Static Water level, for non-flowing well: 35' feet.
Shut-in pressure, for flowing well: lb./sq. in. on: may 2 195-8 (date)  Pumping water level 60 feet at gal. per min. 12
How tested: Pump
Length of test.
Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)
(over)
0 (over)

Log of Well

			Dog of wear
	Depth From		Description of Material Drilled
	From	To	
			7' pit
	7	28	clay gravel sound.
	28	143	Sand fine water
	143	147	Sand fine water
ý.		. (*	
1	2 5	8 2	<b>T</b>
3		nat ful der Deput	
0	nstra	forta	
	2 of 18	1 2 2 E	
19151	d file	300	
15	the 2	100 m	
	I recei	2000	
	E	13. 13. 13.	
200			
	<del></del>		
	<del></del>		
		1	
İ			

•	-
3W-	

0
٠.

File No.

T.14# ..... 20W

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE


## Declaration of Vested Groundwater RightsTE ENGINEER

OFFICE OF STATE ENGINEER

Alfred E. Deschaups	, of Rt. 2,	
(Name of Appropriator	(Address)	(Town)
County of Missoula	State of <b>Montana</b> ding to the Montana laws in effect prior to J	anuary 1, 1962, as follows:
N	die of the months and an octobe prior to o	
	2. The beneficial use on which the claim is	based
	domestic	
	3. Date or approximate date of earliest be	neficial use; and how continu
	ous the use has been 1905	
E		
*		•
	4. The amount of groundwater claimed	
	per minute)10 gallons minut	
	4141-0	······································
	5. If used for irrigation, give the acreage	and description of the land
	to which water has been applied and	
4/ Dia == M = 470 ==	none	
Sec19. T14R20	##	
dicate point of appropriation d place of use, if possible. Each		
nall square represents 10 acres.	6. The means of withdrawing such water	
	tion of each well or other means of with	drawal
	nand vamo	
drawal of groundwater190	mpletion of the construction of the well, well 5. commenced and completed.	ls, cr other works for with
drawal of groundwater	empletion of the construction of the well, well	ls, or other works for wit
drawal of groundwater	impletion of the construction of the well, well 5. commenced and completed.  Diffect type, size and depth of each well or the genewater. 10 inch cement casing and complete type, size and depth of each well or the genewater.	ls, CV other works for with the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other the specifications of any other th
drawal of groundwater	impletion of the construction of the well, well of the completed.  Diffect  type, size and depth of each well or the genewater. 10 inch cement casing a	ls, CV other works for with
drawal of groundwater	impletion of the construction of the well, well 5. commenced and completed.  Diffect type, size and depth of each well or the genewater. 10 inch cement casing and complete type, size and depth of each well or the genewater.	ls, or other works for with
drawal of groundwater	impletion of the construction of the well, well is commenced and completed.  Discrete type, size and depth of each well or the genewater 10 inch cement casing ter withdrawn each year 150,000 gain the drilling of each well if available.	ls, cv other works for with the specifications of any other the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specificati
drawal of groundwater	mpletion of the construction of the well, well of completed.  Jest  type, size and depth of each well or the genewater	ral specifications of any oth 125 feet deep
drawal of groundwater	impletion of the construction of the well, well is commenced and completed.  Discrete type, size and depth of each well or the genewater 10 inch cement casing ter withdrawn each year 150,000 gain the drilling of each well if available.	ls, cv other works for with the specifications of any other the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specificati
8. The depth of water table	type, size and depth of each well or the gene water	ls, cv other works for with the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specifi
drawal of groundwater	type, size and depth of each well or the gene water	ls, cv other works for with the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specification of any other than the specifi
8. The depth of water table	type, size and depth of each well or the gene water	ls, CT other works for with ral specifications of any other 125 feet deep.
drawal of groundwater	type, size and depth of each well or the gene water 10 inch cement casing and the withdrawn each year 150,000 gain the drilling of each well if available are nature as may be useful in carrying out the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gain	lls, cr other works for with the specifications of any other the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specificati
drawal of groundwater	type, size and depth of each well or the gene water 10 inch cement casing and the withdrawn each year 150,000 gain the drilling of each well if available are nature as may be useful in carrying out the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gain	lls, cr other works for with the specifications of any other the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specificati
drawal of groundwater	type, size and depth of each well or the gene water	ls, cr other works for with the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specification of the specifications of any other than the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specifi
drawal of groundwater	type, size and depth of each well or the gene water 10 inch cement casing and the withdrawn each year 150,000 gain the drilling of each well if available are nature as may be useful in carrying out the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and the county record 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gains and 150,000 gain	ls, cr other works for with the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specifications of any other than the specification of any other than the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specification of the specific

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 20378



TENERALDS.

•

....

Supplied Street Street

•	Approved Stock Form-State Publishing Co.,
e No	_{T.} 1

-42234	,

File No.....

DUPLICATE

County Missoula

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

DECF"

Alfred G. Deschamps	of Rt. 2 Missoula
(Name of Appropriator)	(Address) (Town)
Outly of	State of Montana  g to the Montana laws in effect prior to January 1, 1962, as follows:
nave appropriated groundwater according	ng to the montains name in effect prior to January 1, 1502, as follows:
N	
	2. The beneficial use on which the claim is based
	3. Date or approximate date of carliest beneficial use; and how continu
	ous the use has been
	Jane, 1958 - continuous
<b>x</b>	4. The amount of groundwater claimed (in miner's inches or gallon
	per minute) 25 gallons minute
	***************************************
	5. If used for irrigation, give the acreage and description of the land to which water has been applied and name of the owner thereo
<b>s</b>	Lawn and garden around house
1/ markson 18 T.14 R 20	
licate point of appropriation	
l place of use, if possible. Each	6. The means of withdrawing such water from the ground and the loss
all square represents 10 acres.	tion of each well or other means of withdrawal
	14 h.p. electric meter and pump
	des parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter parameter pa
en 3. a	
'i'ha data of commencement and com	plation of the construction of the well, wells, or other works for with
drawal of groundwaterJun	e-1958-Commenced-and-completed
drawal of groundwater	e-1958-Cemmenced-and-completed
drawal of groundwater	e-1958-Cemmenced-and-completed
The depth of water table	
The depth of water table	pe, size and depth of each well or the general specifications of any oth
The depth of water table	1958 Commenced and completed  40 feet  pe, size and depth of each well or the general specifications of any oth ter
The depth of water table	pe, size and depth of each well or the general specifications of any other
The depth of water table	1958 Commenced and completed  40 feet  pe, size and depth of each well or the general specifications of any oth ter
The depth of water table	49-feet  pe, size and depth of each well or the general specifications of any oth ter
The depth of water table	49-feet  pe, size and depth of each well or the general specifications of any oth ter
The depth of water table	ter 6 inch casing 174 feet deep
The depth of water table	49-feet  pe, size and depth of each well or the general specifications of any oth ter
drawal of groundwater	pe, size and depth of each well or the general specifications of any other. 6 inch casing. 174 feet deep.  withdrawn each year. 2 south of each well if available. 3 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate
drawal of groundwater	pe, size and depth of each well or the general specifications of any other. 6 inch casing. 174 feet deep.  withdrawn each year. 2 south of each well if available. 3 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate 18 separate
drawal of groundwater	the drilling of each well if available. Since the gravel.
The depth of water table	40 feet  Too, size and depth of each well or the general specifications of any other  tor. 6 inch casing. 174 feet deep  withdrawn each year glassociations of say other  withdrawn each year glassociations of any other  withdrawn each year glassociations of any other  withdrawn each year glassociations of any other  the drilling of each well if available. Saspassay and a layer gravel
drawal of groundwater	the drilling of each well if available
The depth of water table	1958 Commenced and completed  10 feet  10 feet  10 feet  11 feet deep  12 withdrawn each year  13 the drilling of each well if available  14 gravel  15 the drilling of each well if available  15 gravel  16 this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of this act, including the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy of the policy o
The depth of water table	1958 Commenced and completed  Tope, size and depth of each well or the general specifications of any other.  Ginch casing. 174 feet deep  withdrawn each year. Characterist 500,000 gallons annually the drilling of each well if available. Sasket gravel  mature as may be useful in carrying out the policy of this act, including the record.
drawal of groundwater	the drilling of each well if available.  Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separate Separat

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

No



٠... ب

G1. •	
File	No

•	Approved Stock Form—State Publishing Co., Helena, Montana—42234	19

DUPLICATE

County Missould

#### STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER


### **Declaration of Vested Groundwater Rights**

400	LACASSE	, of Poute 2 Missourd (Address) (Town)
	(Name of Appropriator)	(Address) (Town)
County of	Missorha	State of Monfaha laws in effect prior to January 1, 1962, as follows
have appro	priated groundwater according	ng to the Montana laws in effect prior to January 1, 1962, as follows
	N	
		2. The beneficial use on which the claim is based. Farm
<b>]</b>		home use and cattle water
		3. Date or approximate date of earliest beneficial use; and how contin
		ous the use has been APIII8, 1953 has
		**************************************
		4. The amount of groundwater claimed (in miner's inches or galle
		per minute) CNC 9 31 per MINUTE
1		•••••••••••••••••••••••••••••••••••••••
		5. If used for irrigation, give the acreage and description of the lar
<del></del>	<del></del>	to which water has been applied and name of the owner ther
	_	Nane
	c./9T.14 R2 O	***************************************
,	t of appropriation	
r to sealq ba	ne, if possible. Each	6 Miles annual and south described with annual described and the la
nd place of u	ne, if possible. Each represents 10 scres.	6. The means of withdrawing such water from the ground and the lo
nd place of u mail square	ne, if possible. Each represents 10 scres.	tion of each well or other means of withdrawel one hors
mall square  7. The dat	represents 10 seres.  to of commencement and comf groundwater	tion of each well or other means of withdrawal. a.h.c. ha.f.s.  Power Myers Pulm Pheer we  pletion of the construction of the well, wells, or other works for we  ed HPL 14 (933 Can Riefer) date
7. The dat drawal o	represents 10 scres.  The of commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencemen	pletion of each well or other means of withdrawal a.n.c.h.o.r.s.  POWER MYERS PUMP DEER WE  pletion of the construction of the well, wells, or other works for well H. Prijalian of an experimental specifications of any of
7. The dat drawal o	represents 10 seres.  The of commencement and comfiguroundwater of the first series of the first series of the first series of the withdrawal of groundwater for the withdrawal of groundwater series of the first series of the withdrawal of groundwater series of the first series of the withdrawal of groundwater series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the first series of the f	pletion of each well or other means of withdrawell a.n.c.h.o.f.s.  POWER MYERS PUMP DEER WE  pletion of the construction of the well, wells, or other works for well of the property of any of the sense and depth of each well or the general specifications of any of
7. The dat drawal o	represents 10 scres.  The of commencement and comfiguration of groundwater.  The prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the prince of the princ	tion of each well or other means of withdrawal 2.1.C. ho. s.  Power Myers Pumphess We  pletion of the construction of the well, wells, or other works for w.  ed H. Prij. 1933 Completion date.  Type, size and depth of each well or the general specifications of any other Privent Casing RNS
J. The date drawal of the deptiles.  B. The deptiles.  B. For far as works for the deptiles.  C. The esting.  C. The log of the deptiles.	represents 10 seres.  The of commencement and comfigurations encountered in the commencement and comfigurations encountered in the commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencement and commencemen	tion of each well or other means of withdrawal a.R.C. ho. S.  POWER MYETS PUMP DEER WE  pletion of the construction of the well, wells, or other works for well H. P. L. J. J. J. J. J. J. J. C. a. M. P. L. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. A. J. L. L. L. L. L. L. L. L. L. L. L. L. L.
J. The dat drawal of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of the deptile of	represents 10 seres.  The of commencement and comfigurations are stable of groundwater.  The first of the series of groundwater of formations encountered in the first of the series of formations of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of	tion of each well or other means of withdrawal and holds  POWER MYETS PUMP DEER WE  PLANT DEER WE  pletion of the construction of the well, wells, or other works for we  ed HPT 1
7. The dat drawal of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth of the depth	represents 10 seres.  The of commencement and comfigurations are stable of groundwater.  The first of the series of groundwater of formations encountered in the first of the series of formations of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of a similar representation of	tion of each well or other means of withdrawel. 2.7.C. h.2.f.s.  POWER MYELS PUMP DEEP WE  pletion of the construction of the well, wells, or other works for we  ed H.P. f. f. f. f. f. f. f. f. f. f. f. f. f.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Burcau of Mines and Geology, and Quadruplicate for the Appropriator.

I received and the day for the country of the 2 May 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 1266 at 12



STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

MONTANA WATER RESOURCES SOARD

PRICE | V = D
Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

Driller's Signature John Farrell  Driller's Address Arloo Mont		Tapter 23/	Montana	Session L	aws, 1961,	as amendo	d) .	Top of	Ground	(Elev. above sea level)	= :
which the well is located, lest copy to be retained by driller.  Please answer all questions, if not applicable, so state, otherwise the form may be returned.  Base 1 & Popham = 1000 Rollline, Misecula, Mont.  Owner - Robort D Cumming  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Administrator's Use  For Admini	This form to	o be prepar	red by c	driller, and	three cor	pies to be	filed	From (Feet)	To (Feet)	19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Please answer all questions. If not applicable, so state, otherwise the form may be returned.    18	which the v	veil is locate	ed. last o	cierk and	retained	bv driller.	'y '''	0	2	k Top Soll	
For Administrator's Use    Sant Of Franchkovia   For Administrator's Use   Ilia   Sand						the	<u> </u>	18	Brown Sandy Clay		
Barel B. Pophen - 1000 Rollins, Miscule, Nont. Sp. 18 Sandy Strong Utay	form may b	e returned.	O	io. applica	DIO, 30 4.4.	ic, 0,111c1 11113		18	22	Gravel little Water	<b>.</b>
Owner Bobort D Gumains For Administrator's Use File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloom Gravel & Water File 30.33 B B Gloo	Ha	zel B. Po	pham -	1000 Ro	llins, M	iissoula.	Mont.	22	54	Sandy Brown Clay	- 8% - %
Address Reck 92 Premishtorm    Static water level   17   17   17   17   17   17   17   1						<u> </u>		54		Fine Sand & Water	
Date well started Bopt. 14. 1970    Completed Ropt 17. 1970   W1	Owner	DOT: C		······l_	For Admir	nistrator's U	e	83	88	Clean Gravel & Water	<b>-</b> %
Date well started Bopt. 14. 1970    Completed Ropt 17. 1970   W1	Address E	ast Of Fr	renchte	01770. Fi	la 303	2398					9
Date well started Bopt. 1/2. 1970.  Type of well  Chart Statis, Store or difficity  Equipment used  Chart Statis, Store or difficity  Fequipment used  Fequipment used  Fequipment used  Fequipment used  Fequipment used  Fequipment used  Fequipment used for irrigation, industrial, drainage or other, Explain, state number of scress and location or other data (i.e., Lot, Block and Addition).  ESTIMATED ANNUAL WITHDRAWAL  FEGUIPMENT USED OF STATISTICS  Fequipment used for irrigation, industrial, drainage or other, Explain, state number of scress and location or other data (i.e., Lot, Block and Addition).  FESTIMATED ANNUAL WITHDRAWAL  FEGUIPMENT USED OF STATISTICS  FERTORATIONS			7	May 7	,1971	······				<b>-</b> ⊋.	
Type of well	b	***************				130 PM	2		<del> </del>		<b>-</b> ~
Type of well		•		·							<b>-</b> ₹
Type of well	Date well s	tarted 💆 🛱 🗖	t.14.19	9 <b>79</b>  G	W 1				<b>┼──</b> ─		-3
Type of well							l i				
Equipment used	comp	oleted AND	c171.	920							
Equipment used	T					x					_#.
Static water level   17 in.	Type of we		••••••	(Dug	, driven, bored	or drilled)	******		Ī		_{:}^{z}
Water Use: Domestic Municipal Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock Stock								ر			<u>-</u> ğ.
Industrial Drainage Other Sarden/Lawn Use I was a state number of acres and location or other date (i.e. Lot, Block and Addition).  ESTIMATED ANNUAL WITHDRAWAL  State of Callet Real Real Real Real Real Real Real Real	Equipment	USCU	***********	(Ch	urn drill, rotar	y or other)			<u> </u>		<b></b> }
Industrial Drainage Other Sarden/Lawn Use I was a state number of acres and location or other date (i.e. Lot, Block and Addition).  ESTIMATED ANNUAL WITHDRAWAL  State of Callet Real Real Real Real Real Real Real Real	Water Use:	Domestic (	Mu:	nicipal 🗆	Stock [	] Irrigatio	ın 🗀		<b> </b>		!}
*Describe Annual Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Control of the Cont					٠,٠٠ ــ	g					
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).  ESTIMATED ANNUAL WITHDRAWAL  Site of Casting (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (P	Indu	striai 🔲	Drainage	☐ Oth	er 🗆*	Garden/Lav	n 🗆				}
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block and Addition).  ESTIMATED ANNUAL WITHDRAWAL  Site of Casting (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (Peet) (P			_		/	·	_				— <u>}</u>
state number of acres and location or other dats (i.e. Lot, Block end Addition).  ESTIMATED ANNUAL WITHDRAWAL  Size of State and Process of Perforations  N  Static water level Process of Perforations  N  Static water level Process of Perforations  N  Static water level Process of Perforations  N  Static water level Process of Perforations  N  Pumping water level Process of Perforations  Pumping water level Process of Perforations  N  Pumping water level Process of Perforations  N  Pumping water level Process of Perforations  N  Pumping water level Process of Perforations  N  Pumping water level Process of Perforations  N  N  N  N  N  N  N  N  N  N  N  N  N	*Describe .	none	<u> </u>	yo.	ne						}
*Measured from ground level. Well developed by DT111 Rig. for	USE: If use	ed for irriga	ation, inc	dustri <b>o</b> l, d	rainage or	other. Ex	plain,		-		—į
*Measured from ground level. Well developed by DT111 Rig. for	state r	number of a	cres and	location c	or other da	ts (i.e. Lot,	Block		+		6
*Measured from ground level. Well developed by DT111 Rig. for	and A	ddition)									ğ
*Measured from ground level. Well developed by DT111 Rig. for	end A			*,	•••••••						7
*Measured from ground level. Well developed by DT111 Rig. for	ESTIMATED	ANNUAL W	/ITHDRA	WAL							14 E
*Measured from ground level. Well developed by DT111 Rig. for											3
*Measured from ground level. Well developed by DT111 Rig. for	Drilled	Weight	(Feet)	(Feet)	F	PERFORATION	3		<b></b> _		4
*Measured from ground level. Well developed by DT111 Rig. for				_				r <b>-</b>			702
*Measured from ground level. Well developed by DT111 Rig. for		6" 177	٥	88	Kind Size	From (Feet)	To (Feet)		<del> </del>		
*Measured from ground level. Well developed by DT111 Rig. for		6" 17#	0	88	Kind Size	From (Feet)	To (Feet)		<u> </u>		and the same
*Measured from ground level. Well developed by DT111 Rig. for	0 "	6" 17#	0	88	Kind Size	From (Feet)	To (Feet)				
*Measured from ground level. Well developed by DT111 Rig. for		6" 17#	0	88	Kind Size	From (Feet)	To (Feet)				The second second
*Measured from ground level. Well developed by DT111 Rig. for		6" 17#	0	88	Kind Size	From (Feet)	To (Feet)				
*Measured from ground level. Well developed by DT111 Rig. for		6" 17#	•	88	Kind Size	From (Feet)	To (Feet)				New York Street
*Measured from ground level. Well developed by DT111 Rig. for		6" 17#	•	88	Kind Size	From (Feet)	To (Feet)				Bertham Carlo
*Measured from ground level. Well developed by DT111 Rig. for			•	88	Kind Size	From (Feet)	To (Feet)				
*Measured from ground level. Well developed by DT111 Rig. for			•		Size	(Feet)					関係に言うなりないは、
*Measured from ground level. Well developed by DT111 Rig. for			•		Size	(Feet)	17				では、これでは、これでは、これでは、これできる。
*Measured from ground level. Well developed by DT111 Rig. for		N	•		Size	(Feet)	17				The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon
*Measured from ground level. Well developed by DT111 R16 for		N	•	Stati Pum	ic water le	vel	17 ft.				Berlin Brown Brown Brown
Well developed by DT11 R16 for		N	•	Stati Pum af mea	ic water level ping water	vel	17 ft.				では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、これがない。 では、 では、 では、 では、 では、 では、 では、 では、
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:		N		Stati Pum a1 mea beg	ic water level ping water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water level water leve	velgallons	17 ft. 23 ft. per minute er pumping				では、これでは、これでは、これでは、これでは、これでは、これでは、これでは、これ
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:		N		Stati Pum at mea beg */ *Me	ic water level ping water level sourced from the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the co	velgailons	17 ft. 23 ft. per minute er pumping				
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:		N		Stati Pum at mea beg */ *Me	ic water level ping water level sourced from the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the co	velgailons	17 ft. 23 ft. per minute er pumping				
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:		N		Stati Pum af mea beg *Me Wel for Pow	ic water level ping water sourced sourced from the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the	vel	17 ff. 23 ff. ber minute er pumping evel. Rig				
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:		N		Stati Pum at mea beg */Me Wel for Pow Rem	ic water level ping water sourced sourced from I developed yer. El ect.	vel	17 ft. 23 ft. per minute er pumping evel. R.C. 1. HI cementing				
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:		N A		Stati Pum at mea beg */Me Wel for Pow Rem	ic water level ping water sourced sourced from I developed yer. El ect.	vel	17 ft. 23 ft. per minute er pumping evel. R.C. 1. HI cementing				
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:	W	N		Stati Pum at mea beg */Me Wel for Pow Rem	ic water level ping water sourced sourced from I developed yer. El ect.	vel	17 ft. 23 ft. per minute er pumping evel. R.C. 1. HI cementing				
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:	w	N		Stati Pum at mea beg */Me Wel for Pow Rem	ic water level ping water sourced sourced from I developed yer. El ect.	vel	17 ft. 23 ft. per minute er pumping evel. R.C. 1. HI cementing				
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:	W	N		Stati Pum at mea beg */Me Wel for Pow Rem	ic water level ping water sourced sourced from I developed yer. El ect.	vel	17 ft. 23 ft. per minute er pumping evel. R.C. 1. HI cementing				
Driller's Signature John Farrell  Driller's Address Arloe Mont 88:	NE VA	s . N. W 1/4 Se	20	Stati Pum at mea beg *Me Wel for Pow Rem pacl	ic water level ping water sourced 90 an. casured from I developed yer. El ect. was a sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure of the sure	velgallonsgallons aft m ground I d by Drillhours.	17 ft. 23 ft. 23 ft. 23 ft. 24 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25				
Driller's Address Arloe Mont 88*	NE W	S S LOCATION	20 20 0 F WEL	Stati Pum af mea beg *Me Wel for Pow Rem pack	ic water level ping water level ping water soured soured from the soured from the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the source of the sour	velgallonsgallons aft m ground I d by Drillhours.	17 ft. 23 ft. 23 ft. 23 ft. 24 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25				
Driller's Address Arloe Mont 88*	NE W	S S S S S S S S S S S S S S S S S S S	OF WEL	Statis Pum at mea beg *Me Wel for Pow Rem pacl L AND PI ENTS 40	ic water level ping water sourced 90 an. casured from I developed yer. El ect. water is the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the cont	velgallonsgallons aft m ground I d by Drillhours.	17 ft. 23 ft. 23 ft. 23 ft. 24 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25				
881	W N.E. W.	S A W V4 Se N R R R R R R R R R R R R R R R R R R	OF WEL	Statis Pum at mea beg *Me Wel for Pow Rem pacl L AND PI ENTS 40	ic water level ping water sourced 90 an. casured from I developed yer. El ect. water is the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the cont	velgallonsgallons aft m ground I d by Drillhours.	17 ft. 23 ft. 23 ft. 23 ft. 24 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25				
88*	W N.E. W.	S A W V4 Se N R R R R R R R R R R R R R R R R R R	OF WEL REPRES	Statis Pum at mea beg *Me Wel for Pow Rem pacl L AND PI ENTS 40	ic water level ping water sourced 90 an. casured from I developed yer. El ect. water is the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the cont	velgallonsgallons aft m ground I d by Drillhours.	17 ft. 23 ft. 23 ft. 23 ft. 24 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25				
Show exact depth of bottom	W NE W T. 4	S LOCATION ALL SQUARE gnature	OF WEL REPRES	Statis Pum at mea beg *Me Wel for Pow Rem pacl L AND PI ENTS 40	ic water level ping water sourced 90 an. casured from I developed yer. El ect. water is the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the cont	velgallonsgallons aft m ground I d by Drillhours.	17 ft. 23 ft. 23 ft. 23 ft. 24 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25 ft. 25				

I received and filed this Instrument for record on the J. dey of Marie 1971.

at 2...30. o'clock J. M., perminent the of Missoula County, Store of Mentaina Winess my hand:

Sydness my hand:

Sydness & County Society Securies

By Mitth M. Deynmand Deputy

Fee Sh. O. O. S. Andr. Pald

P. Brows

ATTOCK

- 22 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 - day 6 -

	Approved Stock Form—State Publishing Co., Helena, Montana—12234
ile No	T 14W R 20W
UPLICATE	County Missoula
ADMINIS OFF  Declaration o	STATE OF MONTANA  TRATOR OF GROUNDWATER CODE PICE OF STATE ENGINEER  OF Vested Groundwater Rights ENGINEER  Optor 237, Montana Session Laws, 1961)
None la Company Co. Tou	Par Cd Minneyla
(Name of Appropriator)	, of Box 94 Missoula (Address) (Town)
County of Missoula	State of Montana  g to the Montana laws in effect prior to January 1, 1962, as follows:
L NE /4 10 14N 10 W  1. 1/4 /4 Sec. 21. T.14 R. 2.2 W  Indicate point of appropriation and place of use, if possible. Each mall square represents 10 acres.	2. The beneficial use on which the claim is based. Hausehold use.  and garden trrigation  3. Date or approximate date of earliest beneficial use; and how continuous the use has been. About 1930 and constant use since that time.  4. The amount of groundwater claimed (in miner's inches or gallons per minute). 50 gallons  be per minute). 50 gallons.  5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof part time irrigation of approximately 10 acres.  6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal. Elegatic pass.  21. To 14No. R. 20No.
drawal of groundwater	oletion of the construction of the well, wells, or other works for with date on record, but approximately in 1930.  Office the construction of the well or the general specifications of any other creaming and driven well.
0. The estimated amount of groundwater  1. The log of formations encountered in the	withdrawn each year
2. Such other information of a similar no reference to book and page of any cour	ature as may be useful in carrying out the policy of this act, including the record

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Date December 27 - 1963

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

I received and filed this justrament in record on the Lapty of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the late of the

1707 - NY-	STATE WATER	Approved CONSERVATION BOARD	Stock Form-Sta				
File No		T2 1967		Т	14N R unty Max	20W	<i></i>
DUPLICATE	Millo	M-Darmott	COM A MITE ON	Co	unty	isoula	<u>/</u>
	But Treats	ADMINIST	BTATE U	GROUNI GROUNI	.NA )Water (	ODE	
Top of Groun		OF	FICE OF 81	rate en	GINEER		
(Rier, ahove se	a level)	Notice of	Complet	ion of	Groun	dwate	ər
<u> </u>	el & clay	Appropr					<b>,</b> .
- 20-28 4 Clay			pter 237, Me		_		
28-45 Grav	·			<b>JANUARY</b> 100.	<b></b>	2002)	
53-57 Orav		wner MISSOULA GUA	V CLUB	Address.	Mwy 10 W. 1522 S.		пүн
	ei & boulders , gravei & D	riller Glenn Camp		Address	Missoul		ang
bout	dera		!		_		
	. gravel & sand	ate of Notice of Approp					
124-125 Wate	r ( 4 GPM) D	ate well started Sept	24, 1966	Date Cor	apletedOe	t. 4,19	66
	and gravel r, trace sand $^{ m T}$	ype of well delled		. Equipme	nt Used?	hurn dr	111
- grav	el and clay	(dug, driven, bored or drilled)			drill, rotary		
131-134 Sand	, gravel & elay r (6 GPM) — w	Vater Use: Domestic P	M Wanie	ipal 🖂	Other [7]	T	
- sand	and gravel	Industrial	_	rege []	Other 🔲 Stock 🔲	III	igation 🗍
	, gravel & clay r (5 GPM) sand =	Indicate on the dis	ranam tha a'	hamatan d	and thislens		
j grav	et st	rata met with in drillir	ng, such as s	oil, clay, s	hale, grave	l, rock or	sand, etc.
141-143 Sand		how depth at which was earing strata and heigh	ter is encour	tered, thi	ckness and	character	of water-
754-755 Clay	,	saring strate and neigh	c to writer w	aret tibes	TIT THE WELL	•	
155-156 Wate			Frem (Feet)	To (Feet)	PES	PORATION	<del></del>
158-159 Wate	r, some sand Hole	Casing		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Kind Sice	From	Te (Test)
	stays down 6" cleared up.	" """	1'	160'		(Feet)	(Fest)
- 1			2. L.		'		
<b> -  </b>			•	1			
<b> -  </b>		1	1	1			
-	·		1				
<b> -  </b>	<del></del>						
	N	O4-41- TV7-4 Y1			481 4	404	
	N	Static Water Level	for non-flow	ing Well.1.	16! from	tapef	<b>p.Lp.S</b> eet.
-	N	Static Water Level				·	• •
-	N		r Flowing V	Wellfeet	at 12	*************	• •
-	N	Shut-in Pressure for Pumping Water Lev	r Flowing V	Wellfeet	at 12 down	gal. p	er minute.
		Shut-in Pressure fo Pumping Water Lev Discharge in gal, pe	or Flowing Vel. 121 with 5 er min. of flo	Wellfeet  Oraw  Owing wel	at12 down	gal. p	per minute.
- - - - -		Shut-in Pressure for Pumping Water Lev Discharge in gal. pe	or Flowing Vel. 121 with 5 er min. of flo	Wellfeet  Oraw  Owing wel	at12 down	gal. p	per minute.
w		Shut-in Pressure for Pumping Water Lev Discharge in gal. pe How Tested	vel	Wellfeet Oraw owing welLength	at 12 down l. of Test	gal. p	per minute.
- W		Shut-in Pressure for Pumping Water Lev Discharge in gal, per How Tested	or Flowing Vel. 121 with 5 er min. of flowing, co- packing, co- place of use	Wellfeet " Draw owing welLength menting, j	at	gal. p	er minute.
- w		Shut-in Pressure for Pumping Water Lev Discharge in gal. pe How Tested	vel 121 with 5 er min. of flo 12 Rump packing, cer place of use milar pertir	Wellfeet  **Draw*  Dwing wel  Length  menting, j  of ground  ent infor	at 12 down l n of Test packers, typ lwater if n mation, inc	gal. p	cor minute.
	\tag{Y}	Shut-in Pressure for Pumping Water Lev Discharge in gal. per How Tested	or Flowing Vel. 121 with 5 er min. of flowing, co- packing, co- place of use	Wellfeet  **Draw*  Dwing wel  Length  menting, j  of ground  ent infor	at 12 down l n of Test packers, typ lwater if n mation, inc	gal. p	cor minute.
Ežų s	ec.20. T.14N R20W	Shut-in Pressure for Pumping Water Lev Discharge in gal. per How Tested	vel 121 with 5 er min. of flo 12 Rump packing, cer place of use milar pertir	Wellfeet  **Draw*  Dwing wel  Length  menting, j  of ground  ent infor	at 12 down l n of Test packers, typ lwater if n mation, inc	gal. p	cor minute.
E J. S Indicate lo	\tag{Y}	Shut-in Pressure for Pumping Water Lev Discharge in gal. per How Tested	vel 121 with 5 er min. of flo 12 Rump packing, cer place of use milar pertir	Wellfeet  **Draw*  Dwing wel  Length  menting, j  of ground  ent infor	at 12 down l n of Test packers, typ lwater if n mation, inc	gal. p	cor minute.
E Jy S Indicate lo place of u	sc.20. T14N R20W	Shut-in Pressure for Pumping Water Lev Discharge in gal. per How Tested	vel 121 with 5 er min. of flo 12 Rump packing, cer place of use milar pertir	Wellfeet  **Draw*  Dwing wel  Length  menting, j  of ground  ent infor	at 12 down l n of Test packers, typ lwater if n mation, inc	gal. p	cor minute.
Indicate lo place of un small square	sec.20. THN R20W cation of well and se, if possible. Each a represents 10 acres.	Shut-in Pressure for Pumping Water Lev Discharge in gal. per How Tested	vel 121 with 5 er min. of flo 12 Rump packing, cer place of use milar pertir	Vellfeet  'Draw  Dwing wel  Length  menting, j  of ground  ent infor	at 12 down  of Test  packers, typ lwater if n mation, ine	gal. p	cor minute.
Indicate lo place of un small square	sc. 20. T/4N R20W cation of well and se, if possible. Each	Shut-in Pressure for Pumping Water Lev Discharge in gal. per How Tested	vel 121 with 5 er min. of flo 12 Rump packing, cer place of use milar pertir	Wellfeet  "Draw"  Dwing wel  Length  menting, j  of ground  ent informed for irri	at 12 down l	gal. p	cor minute.
Indicate lo place of un small square	sec.20. THN R20W cation of well and se, if possible. Each a represents 10 acres.	Shut-in Pressure for Pumping Water Lev Discharge in gal. per How Tested	vel 121 with 5 er min. of flo 12 Rump packing, cer place of use milar pertir	Wellfeet  "Draw"  Dwing wel  Length  menting, j  of ground  ent informed for irri	at 12 down  of Test  packers, typ lwater if n mation, ine	gal. p	cor minute.

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

K 676

No		CEIVE			T	14 R 2	· 70
LICATE	S	EP 15 1967			Coun	ty misson	<u></u>
	LOG		Anminion		OF MONT	ANA DWATER COD	ישרו
Top of G	round				STATE E		, ed
(Elev. ab	ove sea level	.) Not	ice of C	Comple	tion o	f Ground	water
0-10	Clay, small grav	·	<b>Appropr</b>	iation	by Me	ans of W	
10-15	Surface water		(Under Cha	oter 237, 1	Montana S	ession Laws, 19	61)
15-34	Clay, so gravel	Owner!	do_WLLLL	<b></b>	Addre	t at N, B	ASIduna
38-43	Gravel, water	Driller	nn Come	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Addre	West of Mi 1522 3. 14	th Wa
1		Date of Notic	e of approp	iation of g	groundwate	Missoula, I	
		Date well star	rted. <b>Sep.t</b>	.11267	ZDate o	ompleted.Seg 1	2,1957
1			Ocilia.			ent used <b>Chur</b> (Churn dril	
		Water use:	Domes Industr		unicipal [ Prainago [	_	] Irrigation
1			on the diagr	am the cha	racter and	thickness of the	different str
Ì			h water is e	ncountered	i, thickness	and character	
		Size of Drilled	Size and Weight	From (Foot)	To (Feet)	PERFOR	ATIONS
		Hole 6#1.D.	of Casing	7.		Kind Pr Size (Fe	
1			17 16	abeve	43'8"	MONE	
				G. L.			
1			  -	'			(
		_	N	S	tatic Wat	er Level for n	on-flowing
1	•			*		r÷1000	<b>6</b> 1
I						sure for Flowing	•
1				l P		ater Level	
		*		* _T		gal. per min.	
			<u> </u>	"	vass #4 11	- Ser her mitt	~~ ~~~
				H	low Tested.	Air comere	444C
	١		<del></del>	J L	ength of T	est2. <b>hours</b>	L
				R	emarks: (6	Fravel packing,	cementing, p
4		NE.1/4ME.Sec.	20 T.JH., 1	KZQ.KY		shutoff)	
· ·		Indicate locate place of use.	ition of well if possible.	ll and Each			
		small squar	e represen	ta 40 "		**********************	
1						(Continue	
						inage or other	
ı		numbe	r of acres a	nd location	n or other	data (i.e.: Lot,	Block and A
Į.		tion).					
		***************************************				,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Show ex	act depth of bottom.	***************************************				***************************************	

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's Signature, Clean Comp

2 ,			Approved &		ching Co., Helena, Montana—456	
e No	***********	- GOTTANA WATER	TX 1300	T	14 R 20	20
PLICAT	e.	NOV	12 1906	Con	onty Missaula	<u></u>
		roa		STATE OF MON	TANA INDWATER CODE	
T	op of Groun	d	- The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the	CE OF STATE		
l a	Elev, above s	ea level	Notice of Co	mpletion	of Groundwat	er
1	Wall load	ztion: 1 mi. N,			leans of Well	
	1/2 mt. Y	v. of "Y" at Hi	way 10 DEVELO	PED AFTER JA		
	& 93 June Sept 1 -	otion W. of Mis 2, 1967	(Under Chapte	er 237, Montana	Session Laws, 1961)	
.	0-10	Clay, small Gr	Wher WALDG WILL LAIS	\$Addı	ress Rt. 2, Mlass	ula, M
ŀ	10-15	Surface water	Driller Glenn Camp	Addı	1522 S. 14ti Miranula. Mi	n w. Potana
-	15-38	Clay, so Grave	0.6			
J	38-43	Gravel, water	Date of Notice of appropria	1, 1967	Sept. 2	, 1967 1864
-	Oct. 17-		Date well startedOc.t		<b>A.</b>	
			Type of well		ment used	rn Dri
. [	<b>43-</b> 76	Gravel, elay ( Water	Water use: Domestic	e 🗗 Municipal		rigation
. [	76-78	Graval & Water	Industria Indicate on the diagran	<del>-</del>	T	erent stra
			met with in drilling, such a depth at which water is end	as soil, clay, shale	e, gravel, rock or sand,	etc. Sho
.			strata and height to which			
i			fits of fits and Drilled Weight	From To (Foot)	PERFORATION	18
-			Hole of Chaing	7.	Kind From Size (Feet)	To (Feet)
			17 lb	above 781		
• }			per ft.	G.L.		ł
•						
						Í
			N	Static W	ater Level for non-fle	nwing w
			1 2	7	from G.L.	fe
-				Shut-in Pr	essure for Flowing Wel	1
. ]				,	Water Level15	
-			w		75 gal. per min. of fl	
					dAir Comprns	AR <i>E</i>
.			<u> </u>		Test. 1 Hour	
			at control on title		(Gravel packing, cement of shutoff)	
			M1/4 ME Sec. 20 TIVN R. Indicate location of well	and		
. [			place of use, if possible. I small square represents	Each 40	***************************************	***************************************
.		,	acres.	••••••		
					(Continue on re	
·			USE_If used for irrigati	ion, industrial, d	irainage or other. Ex	plain, sta
_ 1			number of acres and tion).	u location or othe	er data (i.e.: Lot, Block	and Ad
				***************************************	***************************************	
1.	Show exact d	lepth of bottom.			*******************************	**************
۽ است						

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Driller's Signature. Glenn Cans

44,748

I received and filed this indicessed in record on the A. Agy of A. B. Le A. O o'clock. M., permanent fless of Misscula County, State of Montana Witness my stand (cramos II. Groups, County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark County Recorder By Mark By Mark By Mark By Mark By Mark By Mark By Mark By Mark By Mark By Mark By Mark B

ow.	Approved Stock Form-State Publishing Co., Helens. Montana-42234
File No	T 14 R 30 - 27
DUPLICATE	County Truscoula
A DAUTHUM	STATE OF MONTANA TRATOR OF GROUNDWATER CODE
OFF	TIGE OF STATE ENGINEER
Declaration o	4 Voctod Groundwater Bights/AN 9 10c#
(Under Cha	pter 237, Montana Session Laws, 1961) STATE ENGLIS
1 armend J. Luc	in the measure
(Name of Appropriator) County of Name of Appropriator)	
have appropriated groundwater according	g to the Montana laws in effect prior to January 1, 1962, as follows:
<u> </u>	2. The beneficial use on which the claim is based thouse have
	$\Box$
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been
*	
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 70 gcl.
	<ol> <li>If used for <u>irrigation</u>, give the acreage and description of the lands to which water has been applied and name of the owner thereof</li> </ol>
1/4 See 14 T 14 B 20-21	yarda
Indicate point of appropriation and place of use, if possible. Each	
small square represents 10 acres.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal
7. The date of commencement and comp drawal of groundwater	oletion of the construction of the well, wells, or other works for with-
8. The depth of water table 30,3	44
works for the withdrawal of groundwat	pe, size and depth of each well or the general specifications of any other er.
	we 4 pp = 39 ft
10. The estimated amount of groundwater	withdrawn each year unknam
<u>-</u>	he drilling of each well if available 4 last sul
class - 10 ch	3 Danly
7	
	ature as may be useful in carrying out the policy of this act, including nty record
***************************************	
	a - P
	Signature of Owner Amouf Lucius  Date 12-30-63
	Date
Three conies to be filed by the owner with the	he County Clark and Recorder of the county in which the wall is located

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 19942 I received and file his typroment for recred as tim. So., day of and 1967 at 1952. Sclock ... N., personnent tikes of Missey at County, State of Momane Witness rry hand:
MARTIN S. BIRINER Comp. Beautier
By Martin S. BIRINER Comp. Beautier
By Martin S. BIRINER Comp. Beautier
By Martin S. BIRINER Comp. Beautier
By Martin S. BIRINER Comp. Beautier
By Martin S. BIRINER Comp. Beautier
By Martin S. BIRINER Comp. Beautier
By Martin S. BIRINER Comp. Beautier
By Martin S. BIRINER Comp. Beautier
By Martin S. BIRINER Comp. Beautier
By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Martin S. Biriner Comp. By Mart

MONTAHA WATER RESOURCES BOARD County Risacula RECEIVED

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

DRILLER'S LOG

DEC 2 1971 Indicate the character, color, thickness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show depth at which water is found and height to which water rises in well.

#### NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

	Laws, 1961,	as amend	ea)	Top of	Ground	(Eler, above sea level)
This form to be prepared by driller, by the owner with the County Clerk a which the well is located, last copy to	nd Perorder i	n the cour	filed aty in	From (Feet)	To (Feet)	ond send
Please answer all questions. If not app form may be returned.	licable, so state	e, otherwis	e the	0_	67	Clay. grayel. and sand Seep of water
Dennis W. WILLIA	Lms				67	ر الله الله الله الله الله الله الله الل
Owner Winner's Circle				67		Clay
Address P.D. Box 806	File 3/0/	istrator's U	se ≥08	105	105	Sand. gravel, and clay
Nissoula, Montana				130	130 138	Clay
Date well started Oct. 14, 1971		•••••••••		138	165	Sand, gravet and clay
completed 0.c.t261921	·			162	162	Static water level
Type of wellDrilled	Dug, driven, bored o	or drilled)	•••••	165.	180	Clay
Equipment used	(Surn drill, rotary	or other)	*******	.180.	187	Sand, gravel and water
	Stock 🗆			187	225	Sand, gravel and clay
Industrial 🔲 Drainage 🗍 (	Other 📆 * 💢	Garden/Lav	vn 🗆	.225	240	Heaving sand, clay,
*Describe Lounge and gif	tahon			_240		Sand. gravel and water
USE: If used for irrigation, industrial,					241	
state number of acres and location	n or other date	a (i.e. Lot,	Block			
and Addition)		•••••••••••	******			
ESTIMATED ANNUAL WITHDRAWAL	2.000.000	~ 11 au			_	
	E OND DUDO.	Warron	LB			
Size of Size and From To Drilled Weight (Feet) (Feet) Hole of Casing	PE	ERFORATION	s			
	Kind	From (Feet)	To (Feet)			
6" 6" 17# 1 up 241		-	-			
	1 1		1		r	
N						
!   S	ratic water leve					
S: Pp.	umping water	level17	.6ft.* per minute,			
SS Pr	umping water 15 leasured 90n	level17	.6ft.* per minute,			
S: Pp. atl	umping water  1	level17 gallons prinutes afte	.6ft.* per minute, er pumping			
S: Pi	umping water 15 leasured 90n	level17gallons prinutes after ground le	.6ft.* per minute, er pumping evel.			
SS Property of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the	umping water 15 leasured 90 leasured from Measured from Vell developed or 4	level12gallons princes after ground leading by Ballhours.	er minute, er pumping			
SS Print all mm b	umping water 15 easured 90 n egan. Measured from /ell developed or 4	level17gallons prinutes after ground leading to by Be 11 .hours Pump	er minute, er pumping evel.			
W E * W	umping water 15 leasured 90 leasured from Measured from Vell developed or 4	level12gallons prinutes after ground leading by Ba11 .hours Pumpel packing,	er minute, er pumping evel.			
W E SS	umping water leasured 90 n leasured from Measured from Mea	level12gallons prinutes after ground leading by Ba11 .hours Pumpel packing,	er minute, er pumping evel.			
W	umping water leasured 90 n leasured from Measured from Mea	level12gallons prinutes after ground leading by Ba11 .hours Pumpel packing,	er minute, er pumping evel.			
S E 1/4 — 1/4 Sec. 2/ T. 1/4 (N)R 20 E	umping water leasured 90 n leasured from Measured from Mea	level12gallons prinutes after ground leading by Ba11 .hours Pumpel packing,	er minute, er pumping evel.			
SE 1/4 — 1/4 Sec 2/ T. 1/4 (N)R 20 E  INDICATE LOCATION OF WELL AND	pumping water  15  leasured 90 in  leasured from  yell developed  or  man  emarks: (Grave  ackers, type of	level12gallons prinutes after ground leading by Ba11 .hours Pumpel packing, f shutoff)	cementing,			
SEVA — VA Sec. Z/ T. // WR. ZO E S W  INDICATE LOCATION OF WELL AND EACH SMALL SQUARE REPRESENTS 40	pumping water leasured 90 in leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from l	level12gallons prinutes after ground leading by Be 11 Pumpel packing, f shutoff)	cementing,			
SE 1/4 — 1/4 Sec. Z/ T. //4 NR ZO E SINDICATE LOCATION OF WELL AND	pumping water leasured 90 in leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from leasured from l	level12gallons prinutes after ground leading by Be 11 Pumpel packing, f shutoff)	cementing,			
SEVA — VA Sec. Z/ T	umping water leasured 90 n leasured from Measured from Mea	level12gallons prinutes after ground le by Be 11 .hours Pumpel packing, f shutoff)	er minute, er pumping evel.  Promote HP cementing,			

I received and filed this Instrument for record on the 30 day of 1001.19.21 a 3.30 octock. M. permanent files of Missoula County State of Monana Witness my Jana Varanas A Crouse. County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By March County Records By M

I received and filed this instrument for record on the IR of day of frame 19.70.

of 1.24 f. of clock f. M. perinament files of Missonia County, Stare of Montana Witness my band:

Veramoe R. Crouse, County Recorder By 20.20.

Deputy

Fee S. 2.00.

Paid 1.

two-twit char

-	327	

A	_
1	سا


File	No	
File	No	

r. 14x R. 209

DUPLICATE

County .. Kissoula ....

# STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



### Notice of Completion of Groundwater Appropriation Without Well GINEER

(Under Chapter 237 Montana Session Laws, 1961)


						Date of Appropriation of Groundwater1902
						OwnerPaulHamel AddressRte2,Kissouli
						Contractor (if any)
						Address of Contractor
						Date Started1902 Date Completed1902
		N				Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
						water when applicable
		44		-	ļ	Water-in-spring-comes-to-surfaceUsedfo
	- <del></del>	+{		-		Retering livestock
w		╁┤		+-	-	B RECEIPTING PROCESSION
				X		
						Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermit-
مساه	1/4 5	_		a.R	- 24	tent estimate approximate lengths of periods of use
In	dicate poi	nt of	appr	cpris	tio	• •
ar	nd place of	use,	if pos	sible.	•	each year. 10 miners inches flows
						continuously.
						Signature of Owner Jan Dyamal
						Data

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



			Armene	1 Stock Form	-Sista Problicki	ng Co . Hata	, Montana—456	2
No		IA WATER RESOUNCE	¥ . •	I DUCK I VIA		- ,	2 o t	
		ECEIVE						
LICATE		SEP 8 1970		CITY A TITE	Cour		manh	<u></u>
	LOG	SEP 8 1970	ADMINIST	RATOR (	OF GROUN	IDWATEI	CODE	
Top of Gro	ound		_		STATE E			
(Elev. abov	e sea level		ice of C					er
Wall for	ection: buside	Crouk F	Appropri					
0-8	Black Dirt		DEVEL Under Chap		FTER JAN			
2-13	Clay and Gra	ra l						
Î		Owner	-ro col.	<u> </u>	Addre			
19-20	Clay, Sand, Graval, Seep					1522 S BB <b>Mi-</b> ami	. 14th i	**************************************
	inter.	Date of Notic					·	
20=41	Send, Clay,				_			
	Gravel	Date well sta						
44-50	Oray Shale	Type of well (De	ug, driven, bor	ed or drill	Equipmed)	ent used (Chu	rn drill, rota	ry or other
50-51	Clay and Gra		Domest	tic 🗷 🛚	Iunicipal [	) St	ock 🔲 Ir	
51-68	Gark Provin St		Industri	_	Drainage [	_	her 🔲	
000	and Water	met with in	on the diagradrilling, such	as soil,	clay, shalc,	gravel, ro	ck or sand,	etc. Show
		depth at which strata and he					acter of wa	ter-bearing
from 475	rated liner. I to 581 with a	Size of Dillied	Sice and Weight	From (Feet)	To		PERFORATION	<del></del>
S' Lep	into to ocaing.	Hole	of Casing	11	(Foot)	Kind Size	Fives (Feet)	To (Fext)
4			17 15	el. vii	5/47"	Surat	4.71	681
İ		5" 1.0.	per ft. 5"1.).	G	66*		Full te	noth of
			14 15	''				
İ			par ft.				ļ	
1			<u> </u>	<u> </u>			<u></u>	
				9	Static Wat	er Level	for non-flo	
			N	— `				fee
						emra for W		
	2.5				Shut-in Pres		lowing Wel	1
Break A .	294523				Shut-in Pres Pumping V	ater Leve	lowing Wel	l <b>.</b> dee
Break A .		mluri		well 1	Shut-in Pres Pumping W	Vater Leve	lowing Wel	l <i>fee</i> nute.
Filed for red this A. D. 19	cord day of Septe	nler			Shut-in Pres Pumping W at Discharge i	Vater Leve	lowing Wel	lfee nute. orring wel
Filed for red	cord day of Septe	aler		web 1	Shut-in Pres Pumping W at	Vater Leve	lowing Wel	lfee nute. orring we
Filed for recthis 2 A. D. 19	cord day of Septe	nber			Shut-in Preserving Wat	Vater Leve	lowing Wel	lfee nute. ouring wel
Filed for recthis 2 A. D. 19	cord day of Septe			E 1	Shut-in Pres Pumping W at Discharge i How Tested Length of T Remarks: (	rater Level n gal. per	lowing Wel	deenute.  ovring wel
Filed for red this 3 A. D. 19	cord day of Septe	E% No. Sec. Indicate loca	24 T 14N I	Land	Shut-in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved in Preserved	rater Level n gal. per Cest	lowing Wel	fee nute. ovring wel
Filed for red this 3 A. D. 19	cord day of Septe	E% Nº 4 Sec.	24 T 14N I ation of well if possible.	Zew of and Each	Shut-in Precedence of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of Tested Length of T	rater Level 1.2	lowing Wel  2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2	feed nute.
Filed for red this 3 A. D. 19	cord day of Septe	Ehny Sec. Indicate loca place of use,	24 T 14N I ation of well if possible, re represent	2 26W 1 and Each s 40	Shut-in Preserved at	rater Leve	lowing Wel  A.S.  gal. per mi  Luin. of fl	feed nute.
Filed for red this 3 A. D. 19	cord day of Septe	E/1 No. Sec. Indicate loci place of use, small squar	24 T 14N I ation of well if possible, re represent	Zew 1 and Each s 40	Shut-in Preserved at	rater Leve	lowing Wel	lfee nute. orring wel

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, tissue copy to be retained by driller.

Show exact depth of bottom.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

with the py to be Driller's License Number

will be Driller's Signature.

# 35 294523

File No.....

T 14 N R 20 W

DUPLICATE

County Missoula

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

JAN 28 1964

## Notice of Completion of Groundwater Appropriation:

(Under Chapter 237 Montana Session Laws, 1961)


		Date of Appropriation of Groundwater
		Owner Howard Raser Address Missoula, Montana
		Contractor (if any) Does not apply.
		Address of Contractor Dees not apply.
		Date Started Does not applyDate Completed. Poes not apply.
1	N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable. Water rises naturally to surface, out of this Spring the suriar year around.
		(Owner calls this Spring Number Three (3)-)
17		
		Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
	<u> </u>	estimate approximate lengths of periods of use Water from this
	NE 1/4 Sec. 25 T. 14 R. 20	Spring is used for Livestock Water purposes and flows
	Indicate point of appropriation and place of use, if possible.	the year around. At least 2500 gallens per day comes
		from this Spring. Owner has used this water since 1959
		and prior owners have used this water since year 1910,
		Signature of Owner Journal Planes
		DateJanuary 17, 1964

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.



3

feminants of metal distribution became and

DUPLICATE

T 14 W R 20 W

County Mesoula

STATE OF MONTANA ADMINISTRATOR OF GEOUNDWATER CODE OFFICE OF STATE ENGINEER

STATE ENGINEER

## Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater. December 28, 1963
	Owner-Howard Raser Address Missoula, Montana
	Contractor (if any) 1008 not apply.
	Address of Contractor Lees not apply.
	Date Started Does not apply Date Completed Dees set apply.
N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to water when applicable Matar. rises naturally to surface, out of this Spring the entire year around.
	(Owner calls this Spring Number Four (4)-)
	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent
88 a 25 m 14 m 20	estimate approximate lengths of periods of use Meter from this
Sec. 25 T.14 R.20.  Indicate point of appropriation and place of use, if possible.	Spring is used for Livestock Water purposes and flows the year around. At least 4000 gallons per day comes
	from this spring. Owner has used this water since 1958,
	and prior owners have used the water since 1910.
	Signature of Owner Shwarf France
	Date January 17, 1964

This form to be prepared by contractor (if any), etherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, cherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

I received and illed this instrument for record on the 1/2 day of 0/2/2 1947 of 1/2 Celeck A. M., permanent files of Missould Country, State of Montena Webens my hand.

MARTIN S. BEHNER County Recorder
By Paid Deputy
Fee \$ 222 Paid